

**CTF PV WM4****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)

After stripping the insulation, a suitable contact or wire end ferrule can be crimped onto the end of the cable. Crimping forms a secure connection between conductor and contact and has largely replaced soldering. Crimping denotes the creation of a homogeneous, permanent connection between conductor and connecting element. The connection can be made only with high-quality precision tools. The result is a secure and reliable connection both in mechanical and electrical terms. Weidmüller offers a wide range of mechanical crimping tools. Integral ratchets with release mechanisms guarantee optimum crimping. Crimped connections made with Weidmüller tools comply with international standards and regulations.

**General ordering data**

Version	Photovoltaics, Crimping tool for photovoltaic contacts, Mechanical, without interchangeable inserts
Order No.	<a href="#">1222870000</a>
Type	CTF PV WM4
GTIN (EAN)	4050118006254
Qty.	1 pc(s).
Replacement parts	<a href="#">1121010000</a>

**CTF PV WM4****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)**Technical data****Dimensions and weights**

Width	250 mm	Width (inches)	9.842 inch
Net weight	745 g		

**Technical data**

Description of article	Crimping tool for Weidmüller WM4 photovoltaic contacts, Multi-Contact MC4, Hirschmann SunCon and compatible plugs	Version	Mechanical, without interchangeable inserts
------------------------	---	---------	---

**Description of contact**

Crimping range, max.	6 mm <sup>2</sup>	Crimping range, min.	2.5 mm <sup>2</sup>
Type of contact	F-plug / -sleeve		

**Classifications**

ETIM 6.0	EC000168	ETIM 7.0	EC000168
ETIM 8.0	EC000168	ETIM 9.0	EC000168
ECLASS 9.0	21-04-38-11	ECLASS 9.1	21-04-38-11
ECLASS 10.0	21-04-38-11	ECLASS 11.0	21-04-38-11
ECLASS 12.0	21-04-38-11	ECLASS 13.0	21-04-38-11

**Environmental Product Compliance**

REACH SVHC	Lead 7439-92-1
SCIP	2159813b-98fd-4068-b62a-bc89a046c012

**Important note**

Product information	<b>Crimping tools for photovoltaic contacts</b> <ul style="list-style-type: none"><li>• Ratchet for precise crimping</li><li>• Release option in the event of incorrect operation</li><li>• With locator for exact positioning of the contacts</li><li>• For Weidmüller WM4 photovoltaic connectors and similar plugs</li><li>• For Multi-Contact MC4 1.5 mm<sup>2</sup> to 6 mm<sup>2</sup> and similar plugs</li><li>• For Hirschmann SunCon 4 mm<sup>2</sup> and similar plugs</li></ul>
---------------------	---

**Downloads**

User Documentation	<a href="#">Manual</a>
Catalogues	<a href="#">Catalogues in PDF-format</a>
Brochures	

## CTF PV WM4

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

[www.weidmueller.com](http://www.weidmueller.com)

## Drawings



Type 4 socket



Type 4 pin

## Example of use



**CTF PV WM4****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)**Replacement parts****Replacement parts**

After stripping the insulation, a suitable contact or wire end ferrule can be crimped onto the end of the cable. Crimping forms a secure connection between conductor and contact and has largely replaced soldering. Crimping denotes the creation of a homogeneous, permanent connection between conductor and connecting element. The connection can be made only with high-quality precision tools. The result is a secure and reliable connection both in mechanical and electrical terms. Weidmüller offers a wide range of mechanical crimping tools. Integral ratchets with release mechanisms guarantee optimum crimping. Crimped connections made with Weidmüller tools comply with international standards and regulations.

**General ordering data**

Type	ERTE GRIFFE CTO	Version
Order No.	<a href="#">1121010000</a>	Pressing tool, Replacement part
GTIN (EAN)	4032248902118	
Qty.	1 pc(s).	