

**PZ RK 10/120****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)**Crimping tools for tubular and compression cable lugs with swivel crimping star.**

- Integrated crimping star for different cross-sections
- Hexagon crimping tools for compression cable lugs
- WM-From crimping tools for tubular cable lugs
- wide processing range up to 70 or 120 mm<sup>2</sup>

**General ordering data**

Version	10mm <sup>2</sup> , 120mm <sup>2</sup>
Order No.	<a href="#">1500450000</a>
Type	PZ RK 10/120
GTIN (EAN)	4050118309065
Qty.	1 pc(s).

**PZ RK 10/120****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)**Technical data****Dimensions and weights**

Depth	660 mm	Depth (inches)	25.984 inch
Net weight	3,760 g		

**Crimp inserts**

Crimping width	5 mm
----------------	------

**Description of contact**

Crimping range, max.	120 mm <sup>2</sup>	Crimping range, min.	10 mm <sup>2</sup>
----------------------	---------------------	----------------------	--------------------

**Classifications**

ETIM 6.0	EC000168	ETIM 7.0	EC000168
ETIM 8.0	EC000168	ETIM 9.0	EC000168
ECLASS 9.0	21-04-38-11	ECLASS 9.1	21-04-38-11
ECLASS 10.0	21-04-38-11	ECLASS 11.0	21-04-38-11
ECLASS 12.0	21-04-38-11	ECLASS 13.0	21-04-38-11

**Environmental Product Compliance**

REACH SVHC	Lead 7439-92-1
------------	----------------

**Downloads**

User Documentation	<a href="#">Manual</a>
Catalogues	<a href="#">Catalogues in PDF-format</a>
Brochures	

## PZ RK 10/120

Weidmüller Interface GmbH &amp; Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

70 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	VSTN/-70	Version
Order No.	<a href="#">1494760000</a>	cable lug, terminal end, 70 mm <sup>2</sup> , 70 mm <sup>2</sup>
GTIN (EAN)	4050118304299	
Qty.	50 pc(s).	

35 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KWN-M6/-35 45	Version
Order No.	<a href="#">1496220000</a>	cable lug, terminal end, 35 mm <sup>2</sup>
GTIN (EAN)	4050118305852	
Qty.	50 pc(s).	
Type	KWN-M12/-35 45	Version
Order No.	<a href="#">1496250000</a>	cable lug, terminal end, 35 mm <sup>2</sup>
GTIN (EAN)	4050118306002	
Qty.	50 pc(s).	
Type	KWN-M10/-35 45	Version
Order No.	<a href="#">1496240000</a>	cable lug, terminal end, 35 mm <sup>2</sup>
GTIN (EAN)	4050118306217	
Qty.	50 pc(s).	
Type	KWN-M8/-35 45	Version
Order No.	<a href="#">1496230000</a>	cable lug, terminal end, 35 mm <sup>2</sup>
GTIN (EAN)	4050118305968	
Qty.	50 pc(s).	

## PZ RK 10/120

Weidmüller Interface GmbH &amp; Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

10 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	VSTN/-10	Version
Order No.	<a href="#">1497130000</a>	cable lug, terminal end, 10 mm <sup>2</sup> , 10 mm <sup>2</sup>
GTIN (EAN)	4050118306491	
Qty.	50 pc(s).	

50 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KRN-M12/-50	Version
Order No.	<a href="#">1496620000</a>	cable lug, terminal end, 50 mm <sup>2</sup>
GTIN (EAN)	4050118305722	
Qty.	100 pc(s).	
Type	KRN-M10/-50	Version
Order No.	<a href="#">1496610000</a>	cable lug, terminal end, 50 mm <sup>2</sup>
GTIN (EAN)	4050118306064	
Qty.	100 pc(s).	
Type	KRN-M14/-50	Version
Order No.	<a href="#">1495750000</a>	cable lug, terminal end, 50 mm <sup>2</sup>
GTIN (EAN)	4050118305197	
Qty.	100 pc(s).	
Type	KRN-M6/-50	Version
Order No.	<a href="#">1496590000</a>	cable lug, terminal end, 50 mm <sup>2</sup>
GTIN (EAN)	4050118305746	
Qty.	100 pc(s).	

## PZ RK 10/120

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

Type	KRN-M16/-50	Version
Order No.	<a href="#">1496630000</a>	cable lug, terminal end, 50 mm <sup>2</sup>
GTIN (EAN)	4050118306200	
Qty.	100 pc(s).	
Type	KRN-M8/-50	Version
Order No.	<a href="#">1496600000</a>	cable lug, terminal end, 50 mm <sup>2</sup>
GTIN (EAN)	4050118306149	
Qty.	100 pc(s).	
Type	KRN-M20/-50	Version
Order No.	<a href="#">1495840000</a>	cable lug, terminal end, 50 mm <sup>2</sup>
GTIN (EAN)	4050118305364	
Qty.	100 pc(s).	

35 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KWN-M14/-35 90	Version
Order No.	<a href="#">1494640000</a>	cable lug, terminal end, 35 mm <sup>2</sup>
GTIN (EAN)	4050118304350	
Qty.	100 pc(s).	
Type	KWN-M16/-35 90	Version
Order No.	<a href="#">1494690000</a>	cable lug, terminal end, 35 mm <sup>2</sup>
GTIN (EAN)	4050118304268	
Qty.	100 pc(s).	
Type	KWN-M12/-35 90	Version
Order No.	<a href="#">1495940000</a>	cable lug, terminal end, 35 mm <sup>2</sup>
GTIN (EAN)	4050118305623	
Qty.	100 pc(s).	
Type	KWN-M8/-35 90	Version
Order No.	<a href="#">1495920000</a>	cable lug, terminal end, 35 mm <sup>2</sup>
GTIN (EAN)	4050118305548	
Qty.	100 pc(s).	
Type	KWN-M10/-35 90	Version
Order No.	<a href="#">1495930000</a>	cable lug, terminal end, 35 mm <sup>2</sup>
GTIN (EAN)	4050118305173	
Qty.	100 pc(s).	
Type	KWN-M6/-35 90	Version
Order No.	<a href="#">1495910000</a>	cable lug, terminal end, 35 mm <sup>2</sup>
GTIN (EAN)	4050118305418	
Qty.	100 pc(s).	

## PZ RK 10/120

Weidmüller Interface GmbH &amp; Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

16 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KWN-M8/-16 45	Version
Order No.	<a href="#">1496880000</a>	cable lug, terminal end, 16 mm <sup>2</sup>
GTIN (EAN)	4050118306422	
Qty.	100 pc(s).	
Type	KWN-M6/-16 45	Version
Order No.	<a href="#">1496870000</a>	cable lug, terminal end, 16 mm <sup>2</sup>
GTIN (EAN)	4050118306446	
Qty.	100 pc(s).	
Type	KWN-M5/-16 45	Version
Order No.	<a href="#">1496850000</a>	cable lug, terminal end, 16 mm <sup>2</sup>
GTIN (EAN)	4050118306408	
Qty.	100 pc(s).	
Type	KWN-M10/-16 45	Version
Order No.	<a href="#">1496890000</a>	cable lug, terminal end, 16 mm <sup>2</sup>
GTIN (EAN)	4050118306194	
Qty.	100 pc(s).	

10 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KWN-M8/-10 45	Version
Order No.	<a href="#">1496830000</a>	cable lug, terminal end, 10 mm <sup>2</sup>
GTIN (EAN)	4050118306330	
Qty.	100 pc(s).	

## PZ RK 10/120

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

Type	KWN-M10/-10 45	Version
Order No.	<a href="#">1496840000</a>	cable lug, terminal end, 10 mm <sup>2</sup>
GTIN (EAN)	4050118306361	
Qty.	100 pc(s).	
Type	KWN-M6/-10 45	Version
Order No.	<a href="#">1496820000</a>	cable lug, terminal end, 10 mm <sup>2</sup>
GTIN (EAN)	4050118306286	
Qty.	100 pc(s).	
Type	KWN-M5/-10 45	Version
Order No.	<a href="#">1496810000</a>	cable lug, terminal end, 10 mm <sup>2</sup>
GTIN (EAN)	4050118306309	
Qty.	100 pc(s).	

70 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KRN-M16/-70	Version
Order No.	<a href="#">1495580000</a>	cable lug, terminal end, 70 mm <sup>2</sup>
GTIN (EAN)	4050118305340	
Qty.	25 pc(s).	
Type	KRN-M6/-70	Version
Order No.	<a href="#">1496640000</a>	cable lug, terminal end, 70 mm <sup>2</sup>
GTIN (EAN)	4050118305951	
Qty.	25 pc(s).	
Type	KRN-M10/-70	Version
Order No.	<a href="#">1496670000</a>	cable lug, terminal end, 70 mm <sup>2</sup>
GTIN (EAN)	4050118305845	
Qty.	25 pc(s).	
Type	KRN-M12/-70	Version
Order No.	<a href="#">1495570000</a>	cable lug, terminal end, 70 mm <sup>2</sup>
GTIN (EAN)	4050118304992	
Qty.	25 pc(s).	
Type	KRN-M20/-70	Version
Order No.	<a href="#">1495590000</a>	cable lug, terminal end, 70 mm <sup>2</sup>
GTIN (EAN)	4050118305302	
Qty.	25 pc(s).	
Type	KRN-M14/-70	Version
Order No.	<a href="#">1495770000</a>	cable lug, terminal end, 70 mm <sup>2</sup>
GTIN (EAN)	4050118305166	
Qty.	25 pc(s).	

Creation date May 20, 2024 11:34:21 PM CEST

Catalogue status 04.05.2024 / We reserve the right to make technical changes.

## PZ RK 10/120

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

Type	KRN-M8/-70	Version
Order No.	<a href="#">1496650000</a>	cable lug, terminal end, 70 mm <sup>2</sup>
GTIN (EAN)	4050118305791	
Qty.	25 pc(s).	

16 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	VSTN/-16	Version
Order No.	<a href="#">1497140000</a>	cable lug, terminal end, 16 mm <sup>2</sup> , 16 mm <sup>2</sup>
GTIN (EAN)	4050118306620	
Qty.	50 pc(s).	

95 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	VSTN/-95	Version
Order No.	<a href="#">1494770000</a>	cable lug, terminal end, 95 mm <sup>2</sup> , 95 mm <sup>2</sup>
GTIN (EAN)	4050118304220	
Qty.	50 pc(s).	



## PZ RK 10/120

Weidmüller Interface GmbH &amp; Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

35 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KRN-M10/-35	Version
Order No.	<a href="#">1496570000</a>	cable lug, terminal end, 35 mm <sup>2</sup>
GTIN (EAN)	4050118305920	
Qty.	100 pc(s).	
Type	KRN-M8/-35	Version
Order No.	<a href="#">1496550000</a>	cable lug, terminal end, 35 mm <sup>2</sup>
GTIN (EAN)	4050118305913	
Qty.	100 pc(s).	
Type	KRN-M12/-35	Version
Order No.	<a href="#">1496580000</a>	cable lug, terminal end, 35 mm <sup>2</sup>
GTIN (EAN)	4050118306019	
Qty.	100 pc(s).	
Type	KRN-M6/-35	Version
Order No.	<a href="#">1496540000</a>	cable lug, terminal end, 35 mm <sup>2</sup>
GTIN (EAN)	4050118306156	
Qty.	100 pc(s).	

120 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KRN-M6/-120 S	Version
Order No.	<a href="#">1494410000</a>	cable lug, terminal end, 120 mm <sup>2</sup>
GTIN (EAN)	4050118304060	
Qty.	10 pc(s).	

## PZ RK 10/120

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

Type	KRN-M10/-120 S	Version
Order No.	<a href="#">1494920000</a>	cable lug, terminal end, 120 mm <sup>2</sup>
GTIN (EAN)	4050118304626	
Qty.	10 pc(s).	
Type	KRN-M12/-120 S	Version
Order No.	<a href="#">1494930000</a>	cable lug, terminal end, 120 mm <sup>2</sup>
GTIN (EAN)	4050118304602	
Qty.	10 pc(s).	
Type	KRN-M8/-120 S	Version
Order No.	<a href="#">1494420000</a>	cable lug, terminal end, 120 mm <sup>2</sup>
GTIN (EAN)	4050118304077	
Qty.	10 pc(s).	

95 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KWN-M10/-95 45	Version
Order No.	<a href="#">1496350000</a>	cable lug, terminal end, 95 mm <sup>2</sup>
GTIN (EAN)	4050118306125	
Qty.	25 pc(s).	
Type	KWN-M8/-95 45	Version
Order No.	<a href="#">1496340000</a>	cable lug, terminal end, 95 mm <sup>2</sup>
GTIN (EAN)	4050118305821	
Qty.	25 pc(s).	
Type	KWN-M12/-95 45	Version
Order No.	<a href="#">1496370000</a>	cable lug, terminal end, 95 mm <sup>2</sup>
GTIN (EAN)	4050118305890	
Qty.	25 pc(s).	
Type	KWN-M16/-95 45	Version
Order No.	<a href="#">1496380000</a>	cable lug, terminal end, 95 mm <sup>2</sup>
GTIN (EAN)	4050118305838	
Qty.	25 pc(s).	

## PZ RK 10/120

Weidmüller Interface GmbH &amp; Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

10 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KWN-M8/-10 90	Version
Order No.	<a href="#">1497040000</a>	cable lug, terminal end, 10 mm <sup>2</sup>
GTIN (EAN)	4050118306576	
Qty.	100 pc(s).	
Type	KWN-M5/-10 90	Version
Order No.	<a href="#">1497020000</a>	cable lug, terminal end, 10 mm <sup>2</sup>
GTIN (EAN)	4050118306712	
Qty.	100 pc(s).	
Type	KWN-M10/-10 90	Version
Order No.	<a href="#">1497050000</a>	cable lug, terminal end, 10 mm <sup>2</sup>
GTIN (EAN)	4050118306750	
Qty.	100 pc(s).	
Type	KWN-M12/-10 90	Version
Order No.	<a href="#">1497070000</a>	cable lug, terminal end, 10 mm <sup>2</sup>
GTIN (EAN)	4050118306606	
Qty.	100 pc(s).	
Type	KWN-M6/-10 90	Version
Order No.	<a href="#">1497030000</a>	cable lug, terminal end, 10 mm <sup>2</sup>
GTIN (EAN)	4050118306484	
Qty.	100 pc(s).	

## PZ RK 10/120

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

120 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KWN-M8/-120 90	Version
Order No.	<a href="#">1494680000</a>	cable lug, terminal end, 120 mm <sup>2</sup>
GTIN (EAN)	4050118304343	
Qty.	25 pc(s).	
Type	KWN-M16/-120 90	Version
Order No.	<a href="#">1494480000</a>	cable lug, terminal end, 120 mm <sup>2</sup>
GTIN (EAN)	4050118304312	
Qty.	25 pc(s).	
Type	KWN-M12/-120 90	Version
Order No.	<a href="#">1494470000</a>	cable lug, terminal end, 120 mm <sup>2</sup>
GTIN (EAN)	4050118304091	
Qty.	25 pc(s).	
Type	KWN-M10/-120 90	Version
Order No.	<a href="#">1494450000</a>	cable lug, terminal end, 120 mm <sup>2</sup>
GTIN (EAN)	4050118304084	
Qty.	25 pc(s).	

25 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KRN-M6/-25	Version
Order No.	<a href="#">1496490000</a>	cable lug, terminal end, 25 mm <sup>2</sup>
GTIN (EAN)	4050118305784	
Qty.	100 pc(s).	

## PZ RK 10/120

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

Type	KRN-M8/-25	Version
Order No.	<a href="#">1496500000</a>	cable lug, terminal end, 25 mm <sup>2</sup>
GTIN (EAN)	4050118305975	
Qty.	100 pc(s).	
Type	KRN-M12/-25	Version
Order No.	<a href="#">1496520000</a>	cable lug, terminal end, 25 mm <sup>2</sup>
GTIN (EAN)	4050118306163	
Qty.	100 pc(s).	
Type	KRN-M14/-25	Version
Order No.	<a href="#">1496530000</a>	cable lug, terminal end, 25 mm <sup>2</sup>
GTIN (EAN)	4050118305883	
Qty.	100 pc(s).	
Type	KRN-M5/-25	Version
Order No.	<a href="#">1495830000</a>	cable lug, terminal end, 25 mm <sup>2</sup>
GTIN (EAN)	4050118305562	
Qty.	100 pc(s).	
Type	KRN-M10/-25	Version
Order No.	<a href="#">1496510000</a>	cable lug, terminal end, 25 mm <sup>2</sup>
GTIN (EAN)	4050118305814	
Qty.	100 pc(s).	

95 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KRN-M10/-95 S	Version
Order No.	<a href="#">1494900000</a>	cable lug, terminal end, 95 mm <sup>2</sup>
GTIN (EAN)	4050118304398	
Qty.	25 pc(s).	
Type	KRN-M8/-95 S	Version
Order No.	<a href="#">1494890000</a>	cable lug, terminal end, 95 mm <sup>2</sup>
GTIN (EAN)	4050118304121	
Qty.	25 pc(s).	
Type	KRN-M6/-95 S	Version
Order No.	<a href="#">1494430000</a>	cable lug, terminal end, 95 mm <sup>2</sup>
GTIN (EAN)	4050118303957	
Qty.	25 pc(s).	
Type	KRN-M12/-95 S	Version
Order No.	<a href="#">1494910000</a>	cable lug, terminal end, 95 mm <sup>2</sup>
GTIN (EAN)	4050118304510	
Qty.	25 pc(s).	

## PZ RK 10/120

Weidmüller Interface GmbH &amp; Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

95 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KRN-M6/-95	Version
Order No.	<a href="#">1495820000</a>	cable lug, terminal end, 95 mm <sup>2</sup>
GTIN (EAN)	4050118305531	
Qty.	25 pc(s).	
Type	KRN-M20/-95	Version
Order No.	<a href="#">1495640000</a>	cable lug, terminal end, 95 mm <sup>2</sup>
GTIN (EAN)	4050118305319	
Qty.	25 pc(s).	
Type	KRN-M14/-95	Version
Order No.	<a href="#">1495780000</a>	cable lug, terminal end, 95 mm <sup>2</sup>
GTIN (EAN)	4050118305555	
Qty.	25 pc(s).	
Type	KRN-M16/-95	Version
Order No.	<a href="#">1495630000</a>	cable lug, terminal end, 95 mm <sup>2</sup>
GTIN (EAN)	4050118305326	
Qty.	25 pc(s).	
Type	KRN-M12/-95	Version
Order No.	<a href="#">1495620000</a>	cable lug, terminal end, 95 mm <sup>2</sup>
GTIN (EAN)	4050118305265	
Qty.	25 pc(s).	
Type	KRN-M10/-95	Version
Order No.	<a href="#">1495610000</a>	cable lug, terminal end, 95 mm <sup>2</sup>
GTIN (EAN)	4050118305371	
Qty.	25 pc(s).	
Type	KRN-M8/-95	Version
Order No.	<a href="#">1495600000</a>	cable lug, terminal end, 95 mm <sup>2</sup>
GTIN (EAN)	4050118305241	
Qty.	25 pc(s).	

## PZ RK 10/120

Weidmüller Interface GmbH &amp; Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

50 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KWN-M10/-50 90	Version
Order No.	<a href="#">1495980000</a>	cable lug, terminal end, 50 mm <sup>2</sup>
GTIN (EAN)	4050118305494	
Qty.	100 pc(s).	
Type	KWN-M12/-50 90	Version
Order No.	<a href="#">1495990000</a>	cable lug, terminal end, 50 mm <sup>2</sup>
GTIN (EAN)	4050118305654	
Qty.	100 pc(s).	
Type	KWN-M14/50 90	Version
Order No.	<a href="#">1494650000</a>	cable lug, terminal end, 50 mm <sup>2</sup>
GTIN (EAN)	4050118304251	
Qty.	100 pc(s).	
Type	KWN-M8/-50 90	Version
Order No.	<a href="#">1495970000</a>	cable lug, terminal end, 50 mm <sup>2</sup>
GTIN (EAN)	4050118305425	
Qty.	100 pc(s).	
Type	KWN-M16/-50 90	Version
Order No.	<a href="#">1496000000</a>	cable lug, terminal end, 50 mm <sup>2</sup>
GTIN (EAN)	4050118305630	
Qty.	100 pc(s).	
Type	KWN-M20/-50 90	Version
Order No.	<a href="#">1494710000</a>	cable lug, terminal end, 50 mm <sup>2</sup>
GTIN (EAN)	4050118304442	
Qty.	100 pc(s).	
Type	KWN-M6/-50 90	Version
Order No.	<a href="#">1495950000</a>	cable lug, terminal end, 50 mm <sup>2</sup>
GTIN (EAN)	4050118305388	
Qty.	100 pc(s).	

## PZ RK 10/120

Weidmüller Interface GmbH &amp; Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

16 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KRN-M5/-16	Version
Order No.	<a href="#">1496970000</a>	cable lug, terminal end, 16 mm <sup>2</sup>
GTIN (EAN)	4050118306569	
Qty.	100 pc(s).	
Type	KRN-M8/-16	Version
Order No.	<a href="#">1496990000</a>	cable lug, terminal end, 16 mm <sup>2</sup>
GTIN (EAN)	4050118306514	
Qty.	100 pc(s).	
Type	KRN-M6/-16	Version
Order No.	<a href="#">1496980000</a>	cable lug, terminal end, 16 mm <sup>2</sup>
GTIN (EAN)	4050118306583	
Qty.	100 pc(s).	
Type	KRN-M10/-16	Version
Order No.	<a href="#">1497000000</a>	cable lug, terminal end, 16 mm <sup>2</sup>
GTIN (EAN)	4050118306460	
Qty.	100 pc(s).	
Type	KRN-M12/-16	Version
Order No.	<a href="#">1497010000</a>	cable lug, terminal end, 16 mm <sup>2</sup>
GTIN (EAN)	4050118306538	
Qty.	100 pc(s).	



## PZ RK 10/120

Weidmüller Interface GmbH &amp; Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

95 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KWN-M8/-95 90	Version
Order No.	<a href="#">1496080000</a>	cable lug, terminal end, 95 mm <sup>2</sup>
GTIN (EAN)	4050118305685	
Qty.	25 pc(s).	
Type	KWN-M12/-95 90	Version
Order No.	<a href="#">1496100000</a>	cable lug, terminal end, 95 mm <sup>2</sup>
GTIN (EAN)	4050118305487	
Qty.	25 pc(s).	
Type	KWN-M14/-95 90	Version
Order No.	<a href="#">1494670000</a>	cable lug, terminal end, 95 mm <sup>2</sup>
GTIN (EAN)	4050118304411	
Qty.	25 pc(s).	
Type	KWN-M16/-95 90	Version
Order No.	<a href="#">1496110000</a>	cable lug, terminal end, 95 mm <sup>2</sup>
GTIN (EAN)	4050118305678	
Qty.	25 pc(s).	
Type	KWN-M10/-95 90	Version
Order No.	<a href="#">1496090000</a>	cable lug, terminal end, 95 mm <sup>2</sup>
GTIN (EAN)	4050118305692	
Qty.	25 pc(s).	

## PZ RK 10/120

Weidmüller Interface GmbH &amp; Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

50 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KWN-M8/-50 45	Version
Order No.	<a href="#">1496280000</a>	cable lug, terminal end, 50 mm <sup>2</sup>
GTIN (EAN)	4050118306101	
Qty.	50 pc(s).	
Type	KWN-M10/-50 45	Version
Order No.	<a href="#">1496290000</a>	cable lug, terminal end, 50 mm <sup>2</sup>
GTIN (EAN)	4050118305760	
Qty.	50 pc(s).	
Type	KWN-M6/-50 45	Version
Order No.	<a href="#">1496270000</a>	cable lug, terminal end, 50 mm <sup>2</sup>
GTIN (EAN)	4050118305937	
Qty.	50 pc(s).	
Type	KWN-M12/-50 45	Version
Order No.	<a href="#">1496300000</a>	cable lug, terminal end, 50 mm <sup>2</sup>
GTIN (EAN)	4050118306040	
Qty.	50 pc(s).	

35 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	VSTN/-35	Version
Order No.	<a href="#">1494740000</a>	cable lug, terminal end, 35 mm <sup>2</sup> , 35 mm <sup>2</sup>
GTIN (EAN)	4050118304428	
Qty.	50 pc(s).	

## PZ RK 10/120

Weidmüller Interface GmbH &amp; Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories


25 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	VSTN/-25	Version
Order No.	<a href="#">1494730000</a>	cable lug, terminal end, 25 mm <sup>2</sup> , 25 mm <sup>2</sup>
GTIN (EAN)	4050118304275	
Qty.	50 pc(s).	

70 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KWN-M6/-70 90	Version
Order No.	<a href="#">1496010000</a>	cable lug, terminal end, 70 mm <sup>2</sup>
GTIN (EAN)	4050118305609	
Qty.	25 pc(s).	
Type	KWN-M12/-70 90	Version
Order No.	<a href="#">1496040000</a>	cable lug, terminal end, 70 mm <sup>2</sup>
GTIN (EAN)	4050118305463	
Qty.	25 pc(s).	
Type	KWN-M8/-70 90	Version
Order No.	<a href="#">1496020000</a>	cable lug, terminal end, 70 mm <sup>2</sup>
GTIN (EAN)	4050118305180	
Qty.	25 pc(s).	
Type	KWN-M20/-70 90	Version
Order No.	<a href="#">1496070000</a>	cable lug, terminal end, 70 mm <sup>2</sup>
GTIN (EAN)	4050118305661	
Qty.	25 pc(s).	

## PZ RK 10/120

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

Type	KWN-M16/-70 90	Version
Order No.	<a href="#">1496050000</a>	cable lug, terminal end, 70 mm <sup>2</sup>
GTIN (EAN)	4050118305708	
Qty.	25 pc(s).	
Type	KWN-M14/-70 90	Version
Order No.	<a href="#">1494660000</a>	cable lug, terminal end, 70 mm <sup>2</sup>
GTIN (EAN)	4050118304183	
Qty.	25 pc(s).	
Type	KWN-M10/-70 90	Version
Order No.	<a href="#">1496030000</a>	cable lug, terminal end, 70 mm <sup>2</sup>
GTIN (EAN)	4050118305432	
Qty.	25 pc(s).	

120 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KWN-M8/-120 45	Version
Order No.	<a href="#">1496390000</a>	cable lug, terminal end, 120 mm <sup>2</sup>
GTIN (EAN)	4050118305999	
Qty.	25 pc(s).	
Type	KWN-M10/-120 45	Version
Order No.	<a href="#">1496400000</a>	cable lug, terminal end, 120 mm <sup>2</sup>
GTIN (EAN)	4050118306224	
Qty.	25 pc(s).	
Type	KWN-M12/-120 45	Version
Order No.	<a href="#">1496410000</a>	cable lug, terminal end, 120 mm <sup>2</sup>
GTIN (EAN)	4050118306057	
Qty.	25 pc(s).	
Type	KWN-M16/-120 45	Version
Order No.	<a href="#">1496420000</a>	cable lug, terminal end, 120 mm <sup>2</sup>
GTIN (EAN)	4050118306118	
Qty.	25 pc(s).	

## PZ RK 10/120

Weidmüller Interface GmbH &amp; Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

25 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KWN-M6/-25 45	Version
Order No.	<a href="#">1496180000</a>	cable lug, terminal end, 25 mm <sup>2</sup>
GTIN (EAN)	4050118305876	
Qty.	100 pc(s).	
Type	KWN-M8/-25 45	Version
Order No.	<a href="#">1496190000</a>	cable lug, terminal end, 25 mm <sup>2</sup>
GTIN (EAN)	4050118306231	
Qty.	100 pc(s).	
Type	KWN-M12/-25 45	Version
Order No.	<a href="#">1496210000</a>	cable lug, terminal end, 25 mm <sup>2</sup>
GTIN (EAN)	4050118305715	
Qty.	100 pc(s).	
Type	KWN-M10/-25 45	Version
Order No.	<a href="#">1496200000</a>	cable lug, terminal end, 25 mm <sup>2</sup>
GTIN (EAN)	4050118305593	
Qty.	100 pc(s).	

35 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KRN-M6/-35 S	Version
Order No.	<a href="#">1494790000</a>	cable lug, terminal end, 35 mm <sup>2</sup>
GTIN (EAN)	4050118304466	
Qty.	25 pc(s).	

## PZ RK 10/120

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

Type	KRN-M8/-35 S	Version
Order No.	<a href="#">1494810000</a>	cable lug, terminal end, 35 mm <sup>2</sup>
GTIN (EAN)	4050118304374	
Qty.	25 pc(s).	

50 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KRN-M8/-50 S	Version
Order No.	<a href="#">1494830000</a>	cable lug, terminal end, 50 mm <sup>2</sup>
GTIN (EAN)	4050118304404	
Qty.	25 pc(s).	
Type	KRN-M10/-50 S	Version
Order No.	<a href="#">1494840000</a>	cable lug, terminal end, 50 mm <sup>2</sup>
GTIN (EAN)	4050118304619	
Qty.	25 pc(s).	
Type	KRN-M6/-50 S	Version
Order No.	<a href="#">1494820000</a>	cable lug, terminal end, 50 mm <sup>2</sup>
GTIN (EAN)	4050118304114	
Qty.	25 pc(s).	

70 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KWN-M8/-70 45	Version
Order No.	<a href="#">1496310000</a>	cable lug, terminal end, 70 mm <sup>2</sup>
GTIN (EAN)	4050118305944	
Qty.	25 pc(s).	

## PZ RK 10/120

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

Type	KWN-M10/-70 45	Version
Order No.	<a href="#">1496320000</a>	cable lug, terminal end, 70 mm <sup>2</sup>
GTIN (EAN)	4050118306255	
Qty.	25 pc(s).	
Type	KWN-M12/-70 45	Version
Order No.	<a href="#">1496330000</a>	cable lug, terminal end, 70 mm <sup>2</sup>
GTIN (EAN)	4050118305586	
Qty.	25 pc(s).	

120 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	VSTN/-120	Version
Order No.	<a href="#">1494780000</a>	cable lug, terminal end, 120 mm <sup>2</sup> , 120 mm <sup>2</sup>
GTIN (EAN)	4050118304282	
Qty.	25 pc(s).	

120 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KRN-M8/-120	Version
Order No.	<a href="#">1495790000</a>	cable lug, terminal end, 120 mm <sup>2</sup>
GTIN (EAN)	4050118305401	
Qty.	25 pc(s).	
Type	KRN-M14/-120	Version
Order No.	<a href="#">1495800000</a>	cable lug, terminal end, 120 mm <sup>2</sup>
GTIN (EAN)	4050118305616	
Qty.	25 pc(s).	

## PZ RK 10/120

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

Type	KRN-M10/-120	Version
Order No.	<a href="#">1495650000</a>	cable lug, terminal end, 120 mm <sup>2</sup>
GTIN (EAN)	4050118305289	
Qty.	25 pc(s).	
Type	KRN-M16/-120	Version
Order No.	<a href="#">1495680000</a>	cable lug, terminal end, 120 mm <sup>2</sup>
GTIN (EAN)	4050118305272	
Qty.	25 pc(s).	
Type	KRN-M20/-120	Version
Order No.	<a href="#">1495690000</a>	cable lug, terminal end, 120 mm <sup>2</sup>
GTIN (EAN)	4050118305524	
Qty.	25 pc(s).	
Type	KRN-M12/-120	Version
Order No.	<a href="#">1495670000</a>	cable lug, terminal end, 120 mm <sup>2</sup>
GTIN (EAN)	4050118305258	
Qty.	25 pc(s).	

16 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KWN-M10/-16 90	Version
Order No.	<a href="#">1497110000</a>	cable lug, terminal end, 16 mm <sup>2</sup>
GTIN (EAN)	4050118306705	
Qty.	100 pc(s).	
Type	KWN-M5/-16 90	Version
Order No.	<a href="#">1497080000</a>	cable lug, terminal end, 16 mm <sup>2</sup>
GTIN (EAN)	4050118306392	
Qty.	100 pc(s).	
Type	KWN-M12/-16 90	Version
Order No.	<a href="#">1497120000</a>	cable lug, terminal end, 16 mm <sup>2</sup>
GTIN (EAN)	4050118306736	
Qty.	100 pc(s).	
Type	KWN-M6/16 90	Version
Order No.	<a href="#">1497090000</a>	cable lug, terminal end, 16 mm <sup>2</sup>
GTIN (EAN)	4050118306743	
Qty.	100 pc(s).	
Type	KWN-M8/-16 90	Version
Order No.	<a href="#">1497100000</a>	cable lug, terminal end, 16 mm <sup>2</sup>
GTIN (EAN)	4050118306804	
Qty.	100 pc(s).	



## PZ RK 10/120

Weidmüller Interface GmbH &amp; Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

70 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KRN-M12/-70 S	Version
Order No.	<a href="#">1494880000</a>	cable lug, terminal end, 70 mm <sup>2</sup>
GTIN (EAN)	4050118304435	
Qty.	25 pc(s).	
Type	KRN-M8/-70 S	Version
Order No.	<a href="#">1494860000</a>	cable lug, terminal end, 70 mm <sup>2</sup>
GTIN (EAN)	4050118304527	
Qty.	25 pc(s).	
Type	KRN-M6/-70 S	Version
Order No.	<a href="#">1494850000</a>	cable lug, terminal end, 70 mm <sup>2</sup>
GTIN (EAN)	4050118304152	
Qty.	25 pc(s).	
Type	KRN-M10/-70 S	Version
Order No.	<a href="#">1494870000</a>	cable lug, terminal end, 70 mm <sup>2</sup>
GTIN (EAN)	4050118304503	
Qty.	25 pc(s).	

10 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KRN-M8/-10	Version
Order No.	<a href="#">1496930000</a>	cable lug, terminal end, 10 mm <sup>2</sup>
GTIN (EAN)	4050118306552	
Qty.	100 pc(s).	

## PZ RK 10/120

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

Type	KRN-M10/-10	Version
Order No.	<a href="#">1496940000</a>	cable lug, terminal end, 10 mm <sup>2</sup>
GTIN (EAN)	4050118306521	
Qty.	100 pc(s).	
Type	KRN-M4/-10	Version
Order No.	<a href="#">1496900000</a>	cable lug, terminal end, 10 mm <sup>2</sup>
GTIN (EAN)	4050118306293	
Qty.	100 pc(s).	
Type	KRN-M5/-10	Version
Order No.	<a href="#">1496910000</a>	cable lug, terminal end, 10 mm <sup>2</sup>
GTIN (EAN)	4050118306378	
Qty.	100 pc(s).	
Type	KRN-M12/-10	Version
Order No.	<a href="#">1496950000</a>	cable lug, terminal end, 10 mm <sup>2</sup>
GTIN (EAN)	4050118306453	
Qty.	100 pc(s).	
Type	KRN-M6/-10	Version
Order No.	<a href="#">1496920000</a>	cable lug, terminal end, 10 mm <sup>2</sup>
GTIN (EAN)	4050118306439	
Qty.	100 pc(s).	

25 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KWN-M10/-25 90	Version
Order No.	<a href="#">1495880000</a>	cable lug, terminal end, 25 mm <sup>2</sup>
GTIN (EAN)	4050118305449	
Qty.	100 pc(s).	
Type	KWN-M6/-25 90	Version
Order No.	<a href="#">1495850000</a>	cable lug, terminal end, 25 mm <sup>2</sup>
GTIN (EAN)	4050118305456	
Qty.	100 pc(s).	
Type	KWN-M8/-25 90	Version
Order No.	<a href="#">1495870000</a>	cable lug, terminal end, 25 mm <sup>2</sup>
GTIN (EAN)	4050118305470	
Qty.	100 pc(s).	
Type	KWN-M14/-25 90	Version
Order No.	<a href="#">1495900000</a>	cable lug, terminal end, 25 mm <sup>2</sup>
GTIN (EAN)	4050118305517	
Qty.	100 pc(s).	

Creation date May 20, 2024 11:34:21 PM CEST

**PZ RK 10/120****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)**Accessories**

Type	KWN-M12/-25 90	Version
Order No.	<a href="#">1495890000</a>	cable lug, terminal end, 25 mm <sup>2</sup>
GTIN (EAN)	4050118305647	
Qty.	100 pc(s).	

**50 mm<sup>2</sup>**

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

**General ordering data**

Type	VSTN/-50	Version
Order No.	<a href="#">1494750000</a>	cable lug, terminal end, 50 mm <sup>2</sup> , 50 mm <sup>2</sup>
GTIN (EAN)	4050118304381	
Qty.	50 pc(s).	