

**KSW 4 8/5,08 1-8****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)

Similar to illustration

KSW marking strips are used to identify multi-pole PCB plug-in connectors. Users can print them individually without being confined to a certain pitch.

- Smudge-proof labelling
- Strips 2.5 mm and 4 mm wide
- Simply stick on - finished
- Optimum adhesion
- PVC-free

**General ordering data**

Version	KSW, Terminal marker, 4 x 40.6 mm, Pitch in mm (P): 5.08 Weidmueller, white
Order No.	<a href="#">1630200001</a>
Type	KSW 4 8/5,08 1-8
GTIN (EAN)	4008190246266
Qty.	10 pc(s).

**KSW 4 8/5,08 1-8****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)**Technical data****Dimensions and weights**

Height	4 mm	Height (inches)	0.157 inch
Width	40.6 mm	Width (inches)	1.598 inch
Net weight	0.7 g		

**Temperatures**

Operating temperature range	150 °C
-----------------------------	--------

**General data**

Adhesive	Acrylate	Application/manufacture	Weidmueller
Colour	white	Colour of printing	black
Material	Polyester, PVC-free	Material colour according to resistance code	9
Number per sheet	20	Operating temperature range	150 °C
Operating temperature range, max.	150 °C	Orientation of print	horizontal
Printed characters	Numbers	Printing	1 - 8
Printing method	Thermal transfer	Type of printing	Standard
Version	Self-adhesive	Width	40.6 mm

**Classifications**

ETIM 6.0	EC000761	ETIM 7.0	EC000761
ETIM 8.0	EC000761	ETIM 9.0	EC000761
ECLASS 9.0	27-14-11-37	ECLASS 9.1	27-14-11-37
ECLASS 10.0	27-14-11-37	ECLASS 11.0	27-28-11-01
ECLASS 12.0	27-28-11-01	ECLASS 13.0	27-28-11-01

**Approvals**

ROHS	Conform
------	---------

**Downloads**

Catalogues	<a href="#">Catalogues in PDF-format</a>
Brochures	