

**ESG 9/6 MC NE WS****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)

Similar to illustration



ESG is the tried-and-tested marker in MultiCard format for use on many well-known electrical devices. The result is high-quality device marking with a high-contrast appearance.

Various types are available for devices from manufacturers like Siemens, ABB, Beckhoff etc.

Advantages at a glance:

- Tags for universal usage, self-adhesive or clip-on tags, depending on type
- For aligned equipment, e.g. circuit breakers, we supply ESG markers for clipping onto tag rails
- Individual laser-quality printing according to specifications

**For custom printing:** Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

**General ordering data**

|                    |  |
|--------------------|--|
| Version            | ESG, Device markers x 6 mm, PA 66, Colour: white, pluggable                      |
| Order No.          | <a href="#">1888360000</a>   |
| Type               | ESG 9/6 MC NE WS   |
| GTIN (EAN)         | 4032248494200  |
| Qty.               | 400 pc(s).   |
| compatible printer | <a href="#">2715590000</a> <a href="#">2438520000</a> <a href="#">2438510000</a> |

**ESG 9/6 MC NE WS****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

**Technical data****Dimensions and weights**

|            |        |                 |            |
|------------|--------|-----------------|------------|
| Depth      | 0.8 mm | Depth (inches)  | 0.031 inch |
| Height     | 9 mm   | Height (inches) | 0.354 inch |
| Width      | 6 mm   | Width (inches)  | 0.236 inch |
| Net weight | 0.23 g |                 |            |

**Temperatures**

|                             |              |
|-----------------------------|--------------|
| Operating temperature range | -40...100 °C |
|-----------------------------|--------------|

**General data**

|  |                              |           |
|--|------------------------------|-----------|
| Application/manufacture                      | WI SAI ACTIVE                |           |
| Colour                                       | white                        |           |
| Halogen                                      | No                           |           |
| Material                                     | PA 66                        |           |
| Material colour according to resistance code | 9                            |           |
| Number of markers per combination            | 1 MultiCard = Device markers |           |
| Number of markers per packaging unit         | Form of supply               | MultiCard |
| Operating temperature range                  | -40...100 °C                 |           |
| Operating temperature range, max.            | 100 °C                       |           |
| Operating temperature range, min.            | -40 °C                       |           |
| UL 94 flammability rating                    | V-2                          |           |
| Version                                      | pluggable                    |           |
| Width  | 6 mm                         |           |

**Device markers**

|         |    |
|---------|----|
| Halogen | No |
|---------|----|

**Classifications**

|             |             |             |             |
|-------------|-------------|-------------|-------------|
| ETIM 6.0    | EC001288    | ETIM 7.0    | EC001288    |
| ETIM 8.0    | EC001288    | ETIM 9.0    | EC001288    |
| ECLASS 9.0  | 27-40-06-29 | ECLASS 9.1  | 27-40-06-29 |
| ECLASS 10.0 | 27-40-06-29 | ECLASS 11.0 | 27-28-11-04 |
| ECLASS 12.0 | 27-28-11-04 | ECLASS 13.0 | 27-28-11-04 |

**Approvals**

|      |         |
|------|---------|
| ROHS | Conform |
|------|---------|

**Downloads**

|                             |  |
|-----------------------------|--|
| Engineering Data            | <a href="#">CAD data – STEP</a>  |
| Product Change Notification | <a href="#">Technical change to MultiCard material - DE</a><br><a href="#">Technical change to MultiCard material - EN</a><br><a href="#">MultiCard Material modification</a><br><a href="#">MultiCard Material Modifikation</a> |
| Catalogues                  | <a href="#">Catalogues in PDF-format</a>   |

**ESG 9/6 MC NE WS**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

[www.weidmueller.com](http://www.weidmueller.com)

**Drawings**

