

ES EPG/HPG 60 HEX 150**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com**Similar to illustration****Crimping tools for cable lugs, connectors and wire-end ferrules with interchangeable inserts**

- extremely fast processing thanks to hydraulic support
- large processing range up to 300 mm²
- 270° revolving quick-action crimping head
- automatic pressure limitation and monitoring via pressure sensor
- electronic control and monitoring of the crimping process
- Saving of all crimping cycles and error messages to internal memory
- Reading of all cycles and error messages via USB
- Li-ion rechargeable battery with charge status indicator: 18 V, 2 Ah

General ordering data

| | |
|------------|---------------------------------------|
| Version | Crimping tool insert, Hexagonal crimp |
| Order No. | 2505240000 |
| Type | ES EPG/HPG 60 HEX 150 |
| GTIN (EAN) | 4050118519631 |
| Qty. | 1 pc(s). |

ES EPG/HPG 60 HEX 150

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Technical data

Dimensions and weights

| | | | |
|------------|-------|-----------------|------------|
| Depth | 22 mm | Depth (inches) | 0.866 inch |
| Height | 42 mm | Height (inches) | 1.654 inch |
| Width | 42 mm | Width (inches) | 1.654 inch |
| Net weight | 131 g | | |

Crimp inserts

| | | | |
|-------------------------------|--------|----------------------------|-----|
| Crimp cross-section aluminium | 95+120 | Crimp cross-section copper | 150 |
| Crimping width | 5 mm | Crimping width in mm | 5 |
| Identification number | 22 | | |

Description of contact

| | | | |
|-----------------------------------|-----|-----------------|---|
| Conductor cross-section, max. AWG | 5/0 | Type of contact | DIN 46235 cable lug, DIN 46267 Part 1 cable lug |
|-----------------------------------|-----|-----------------|---|

tool data crimping

| | | |
|-------------------------|-----------------|---------------------|
| Cable lug cross section | nominal | 150 mm ² |
| Crimping type/profile | Hexagonal crimp | |

Classifications

| | | | |
|-------------|-------------|-------------|-------------|
| ETIM 6.0 | EC001282 | ETIM 7.0 | EC001282 |
| ETIM 8.0 | EC001282 | ETIM 9.0 | EC001282 |
| ECLASS 9.0 | 21-04-90-90 | ECLASS 9.1 | 21-01-90-90 |
| ECLASS 10.0 | 21-04-90-90 | ECLASS 11.0 | 21-04-90-90 |
| ECLASS 12.0 | 21-04-90-90 | ECLASS 13.0 | 21-04-90-90 |

Environmental Product Compliance

| | |
|------------------------|-----------------------------|
| REACH SVHC | / |
| RoHS Compliance Status | Compliant without exemption |

Downloads

| | |
|------------|--|
| Catalogues | Catalogues in PDF-format |
|------------|--|

ES EPG/HPG 60 HEX 150

Weidmüller Interface GmbH & Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

35 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|--|
| Type | VPLN/-35 | Version |
| Order No. | 1492920000 | cable lug, terminal end, 35 mm ² , 35 mm ² |
| GTIN (EAN) | 4050118302752 | |
| Qty. | 100 pc(s). | |

95 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|---|
| Type | KQN-M12/-95 | Version |
| Order No. | 1493280000 | cable lug, terminal end, 95 mm ² |
| GTIN (EAN) | 4050118302899 | |
| Qty. | 25 pc(s). | |
| Type | KQN-M10/-95 | Version |
| Order No. | 1493270000 | cable lug, terminal end, 95 mm ² |
| GTIN (EAN) | 4050118303018 | |
| Qty. | 25 pc(s). | |
| Type | KQN-M20/-95 | Version |
| Order No. | 1493310000 | cable lug, terminal end, 95 mm ² |
| GTIN (EAN) | 4050118303407 | |
| Qty. | 25 pc(s). | |
| Type | KQN-M8/-95 | Version |
| Order No. | 1493260000 | cable lug, terminal end, 95 mm ² |
| GTIN (EAN) | 4050118303162 | |
| Qty. | 25 pc(s). | |

ES EPG/HPG 60 HEX 150

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

| | | |
|------------|----------------------------|---------------------------------|
| Type | KQN-M16/-95 | Version |
| Order No. | 1493290000 | cable lug, terminal end, 95 mm² |
| GTIN (EAN) | 4050118303025 | |
| Qty. | 25 pc(s). | |

120 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|----------------------------------|
| Type | KRN-M20/-120 | Version |
| Order No. | 1495690000 | cable lug, terminal end, 120 mm² |
| GTIN (EAN) | 4050118305524 | |
| Qty. | 25 pc(s). | |
| Type | KRN-M14/-120 | Version |
| Order No. | 1495800000 | cable lug, terminal end, 120 mm² |
| GTIN (EAN) | 4050118305616 | |
| Qty. | 25 pc(s). | |
| Type | KRN-M8/-120 | Version |
| Order No. | 1495790000 | cable lug, terminal end, 120 mm² |
| GTIN (EAN) | 4050118305401 | |
| Qty. | 25 pc(s). | |
| Type | KRN-M10/-120 | Version |
| Order No. | 1495650000 | cable lug, terminal end, 120 mm² |
| GTIN (EAN) | 4050118305289 | |
| Qty. | 25 pc(s). | |
| Type | KRN-M16/-120 | Version |
| Order No. | 1495680000 | cable lug, terminal end, 120 mm² |
| GTIN (EAN) | 4050118305272 | |
| Qty. | 25 pc(s). | |
| Type | KRN-M12/-120 | Version |
| Order No. | 1495670000 | cable lug, terminal end, 120 mm² |
| GTIN (EAN) | 4050118305258 | |
| Qty. | 25 pc(s). | |

ES EPG/HPG 60 HEX 150

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

70 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|---|
| Type | KRN-M10/-70 S | Version |
| Order No. | 1494870000 | cable lug, terminal end, 70 mm ² |
| GTIN (EAN) | 4050118304503 | |
| Qty. | 25 pc(s). | |
| Type | KRN-M12/-70 S | Version |
| Order No. | 1494880000 | cable lug, terminal end, 70 mm ² |
| GTIN (EAN) | 4050118304435 | |
| Qty. | 25 pc(s). | |
| Type | KRN-M8/-70 S | Version |
| Order No. | 1494860000 | cable lug, terminal end, 70 mm ² |
| GTIN (EAN) | 4050118304527 | |
| Qty. | 25 pc(s). | |
| Type | KRN-M6/-70 S | Version |
| Order No. | 1494850000 | cable lug, terminal end, 70 mm ² |
| GTIN (EAN) | 4050118304152 | |
| Qty. | 25 pc(s). | |

95 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|---|
| Type | KP-M10/-95 | Version |
| Order No. | 1498190000 | cable lug, terminal end, 95 mm ² |
| GTIN (EAN) | 4050118307603 | |
| Qty. | 50 pc(s). | |

ES EPG/HPG 60 HEX 150

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26


D-32758 Detmold

Germany

www.weidmueller.com

Accessories

| | | |
|------------|----------------------------|---|
| Type | KP-M12/-95 | Version |
| Order No. | 1498210000 | cable lug, terminal end, 95 mm ² |
| GTIN (EAN) | 4050118307610 | |
| Qty. | 50 pc(s). | |
| Type | KP-M16/-95 | Version |
| Order No. | 1498220000 | cable lug, terminal end, 95 mm ² |
| GTIN (EAN) | 4050118307719 | |
| Qty. | 50 pc(s). | |
| Type | KP-M20/-95 | Version |
| Order No. | 1498230000 | cable lug, terminal end, 95 mm ² |
| GTIN (EAN) | 4050118307634 | |
| Qty. | 50 pc(s). | |
| Type | KP-M8/-95 | Version |
| Order No. | 1498180000 | cable lug, terminal end, 95 mm ² |
| GTIN (EAN) | 4050118307498 | |
| Qty. | 50 pc(s). | |
| Type | KP-M14/-95 | Version |
| Order No. | 1498520000 | cable lug, terminal end, 95 mm ² |
| GTIN (EAN) | 4050118307863 | |
| Qty. | 50 pc(s). | |

120 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|--|
| Type | VPN/-120 | Version |
| Order No. | 1498690000 | cable lug, terminal end, 120 mm ² , 120 mm ² |
| GTIN (EAN) | 4050118307795 | |
| Qty. | 25 pc(s). | |

ES EPG/HPG 60 HEX 150

Weidmüller Interface GmbH & Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

95 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|---|
| Type | KRN-M10/-95 S | Version |
| Order No. | 1494900000 | cable lug, terminal end, 95 mm ² |
| GTIN (EAN) | 4050118304398 | |
| Qty. | 25 pc(s). | |
| Type | KRN-M8/-95 S | Version |
| Order No. | 1494890000 | cable lug, terminal end, 95 mm ² |
| GTIN (EAN) | 4050118304121 | |
| Qty. | 25 pc(s). | |
| Type | KRN-M12/-95 S | Version |
| Order No. | 1494910000 | cable lug, terminal end, 95 mm ² |
| GTIN (EAN) | 4050118304510 | |
| Qty. | 25 pc(s). | |
| Type | KRN-M6/-95 S | Version |
| Order No. | 1494430000 | cable lug, terminal end, 95 mm ² |
| GTIN (EAN) | 4050118303957 | |
| Qty. | 25 pc(s). | |

50 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|---|
| Type | KWN-M6/-50 45 | Version |
| Order No. | 1496270000 | cable lug, terminal end, 50 mm ² |
| GTIN (EAN) | 4050118305937 | |
| Qty. | 50 pc(s). | |

ES EPG/HPG 60 HEX 150

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

| | | |
|------------|----------------------------|---------------------------------|
| Type | KWN-M12/-50 45 | Version |
| Order No. | 1496300000 | cable lug, terminal end, 50 mm² |
| GTIN (EAN) | 4050118306040 | |
| Qty. | 50 pc(s). | |
| Type | KWN-M8/-50 45 | Version |
| Order No. | 1496280000 | cable lug, terminal end, 50 mm² |
| GTIN (EAN) | 4050118306101 | |
| Qty. | 50 pc(s). | |
| Type | KWN-M10/-50 45 | Version |
| Order No. | 1496290000 | cable lug, terminal end, 50 mm² |
| GTIN (EAN) | 4050118305760 | |
| Qty. | 50 pc(s). | |

35 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|---------------------------------|
| Type | KRN-M8/-35 S | Version |
| Order No. | 1494810000 | cable lug, terminal end, 35 mm² |
| GTIN (EAN) | 4050118304374 | |
| Qty. | 25 pc(s). | |
| Type | KRN-M6/-35 S | Version |
| Order No. | 1494790000 | cable lug, terminal end, 35 mm² |
| GTIN (EAN) | 4050118304466 | |
| Qty. | 25 pc(s). | |

ES EPG/HPG 60 HEX 150

Weidmüller Interface GmbH & Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

35 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|---|
| Type | KWN-M6/-35 45 | Version |
| Order No. | 1496220000 | cable lug, terminal end, 35 mm ² |
| GTIN (EAN) | 4050118305852 | |
| Qty. | 50 pc(s). | |
| Type | KWN-M10/-35 45 | Version |
| Order No. | 1496240000 | cable lug, terminal end, 35 mm ² |
| GTIN (EAN) | 4050118306217 | |
| Qty. | 50 pc(s). | |
| Type | KWN-M12/-35 45 | Version |
| Order No. | 1496250000 | cable lug, terminal end, 35 mm ² |
| GTIN (EAN) | 4050118306002 | |
| Qty. | 50 pc(s). | |
| Type | KWN-M8/-35 45 | Version |
| Order No. | 1496230000 | cable lug, terminal end, 35 mm ² |
| GTIN (EAN) | 4050118305968 | |
| Qty. | 50 pc(s). | |

95 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|--|
| Type | KSN/-95 | Version |
| Order No. | 1492840000 | cable lug, terminal end, 95 mm ² , 95 mm ² |
| GTIN (EAN) | 4050118302790 | |
| Qty. | 25 pc(s). | |

ES EPG/HPG 60 HEX 150

Weidmüller Interface GmbH & Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

120 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|--|
| Type | KWN-M16/-120 45 | Version |
| Order No. | 1496420000 | cable lug, terminal end, 120 mm ² |
| GTIN (EAN) | 4050118306118 | |
| Qty. | 25 pc(s). | |
| Type | KWN-M8/-120 45 | Version |
| Order No. | 1496390000 | cable lug, terminal end, 120 mm ² |
| GTIN (EAN) | 4050118305999 | |
| Qty. | 25 pc(s). | |
| Type | KWN-M10/-120 45 | Version |
| Order No. | 1496400000 | cable lug, terminal end, 120 mm ² |
| GTIN (EAN) | 4050118306224 | |
| Qty. | 25 pc(s). | |
| Type | KWN-M12/-120 45 | Version |
| Order No. | 1496410000 | cable lug, terminal end, 120 mm ² |
| GTIN (EAN) | 4050118306057 | |
| Qty. | 25 pc(s). | |

120 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|--|
| Type | KP-M12/-120 | Version |
| Order No. | 1498250000 | cable lug, terminal end, 120 mm ² |
| GTIN (EAN) | 4050118307627 | |
| Qty. | 50 pc(s). | |

ES EPG/HPG 60 HEX 150

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

| | | |
|------------|----------------------------|--|
| Type | KP-M14/-120 | Version |
| Order No. | 1498490000 | cable lug, terminal end, 120 mm ² |
| GTIN (EAN) | 4050118307771 | |
| Qty. | 50 pc(s). | |
| Type | KP-M20/-120 | Version |
| Order No. | 1498280000 | cable lug, terminal end, 120 mm ² |
| GTIN (EAN) | 4050118307702 | |
| Qty. | 50 pc(s). | |
| Type | KP-M16/-120 | Version |
| Order No. | 1498270000 | cable lug, terminal end, 120 mm ² |
| GTIN (EAN) | 4050118307580 | |
| Qty. | 50 pc(s). | |
| Type | KP-M10/-120 | Version |
| Order No. | 1498240000 | cable lug, terminal end, 120 mm ² |
| GTIN (EAN) | 4050118307368 | |
| Qty. | 50 pc(s). | |
| Type | KP-M8/-120 | Version |
| Order No. | 1498480000 | cable lug, terminal end, 120 mm ² |
| GTIN (EAN) | 4050118307900 | |
| Qty. | 50 pc(s). | |

150 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|--|
| Type | KWN-M20/-150 45 | Version |
| Order No. | 1496480000 | cable lug, terminal end, 150 mm ² |
| GTIN (EAN) | 4050118305739 | |
| Qty. | 25 pc(s). | |
| Type | KWN-M8/-150 45 | Version |
| Order No. | 1496430000 | cable lug, terminal end, 150 mm ² |
| GTIN (EAN) | 4050118306071 | |
| Qty. | 25 pc(s). | |
| Type | KWN-M12/-150 45 | Version |
| Order No. | 1496450000 | cable lug, terminal end, 150 mm ² |
| GTIN (EAN) | 4050118305906 | |
| Qty. | 25 pc(s). | |
| Type | KWN-M16/-150 45 | Version |
| Order No. | 1496470000 | cable lug, terminal end, 150 mm ² |
| GTIN (EAN) | 4050118306132 | |
| Qty. | 25 pc(s). | |

ES EPG/HPG 60 HEX 150

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

| | | |
|------------|----------------------------|--|
| Type | KWN-M10/-150 45 | Version |
| Order No. | 1496440000 | cable lug, terminal end, 150 mm ² |
| GTIN (EAN) | 4050118305777 | |
| Qty. | 25 pc(s). | |

25 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|--|
| Type | VSTN/-25 | Version |
| Order No. | 1494730000 | cable lug, terminal end, 25 mm ² , 25 mm ² |
| GTIN (EAN) | 4050118304275 | |
| Qty. | 50 pc(s). | |

50 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|---|
| Type | KP-M10/-50 | Version |
| Order No. | 1498080000 | cable lug, terminal end, 50 mm ² |
| GTIN (EAN) | 4050118307559 | |
| Qty. | 100 pc(s). | |
| Type | KP-M14/-50 | Version |
| Order No. | 1498570000 | cable lug, terminal end, 50 mm ² |
| GTIN (EAN) | 4050118308105 | |
| Qty. | 100 pc(s). | |
| Type | KP-M16/-50 | Version |
| Order No. | 1498110000 | cable lug, terminal end, 50 mm ² |
| GTIN (EAN) | 4050118307474 | |
| Qty. | 100 pc(s). | |

ES EPG/HPG 60 HEX 150

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

| | | |
|------------|----------------------------|--|
| Type | KP-M8/-50 | Version |
| Order No. | 1498070000 | cable lug, terminal end,50 mm ² |
| GTIN (EAN) | 4050118307566 | |
| Qty. | 100 pc(s). | |
| Type | KP-M20/-50 | Version |
| Order No. | 1498120000 | cable lug, terminal end,50 mm ² |
| GTIN (EAN) | 4050118307597 | |
| Qty. | 100 pc(s). | |
| Type | KP-M12/-50 | Version |
| Order No. | 1498090000 | cable lug, terminal end,50 mm ² |
| GTIN (EAN) | 4050118307375 | |
| Qty. | 100 pc(s). | |
| Type | KP-M6/-50 | Version |
| Order No. | 1498510000 | cable lug, terminal end,50 mm ² |
| GTIN (EAN) | 4050118308006 | |
| Qty. | 100 pc(s). | |

25 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|--|
| Type | KSN/-25 | Version |
| Order No. | 1492800000 | cable lug, terminal end,25 mm ² ,25 mm ² |
| GTIN (EAN) | 4050118302592 | |
| Qty. | 50 pc(s). | |

ES EPG/HPG 60 HEX 150

Weidmüller Interface GmbH & Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

35 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|--|
| Type | KSN/-35 | Version |
| Order No. | 1492810000 | cable lug, terminal end, 35 mm ² , 35 mm ² |
| GTIN (EAN) | 4050118302639 | |
| Qty. | 50 pc(s). | |

50 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|---|
| Type | KRN-M8/-50 S | Version |
| Order No. | 1494830000 | cable lug, terminal end, 50 mm ² |
| GTIN (EAN) | 4050118304404 | |
| Qty. | 25 pc(s). | |
| Type | KRN-M6/-50 S | Version |
| Order No. | 1494820000 | cable lug, terminal end, 50 mm ² |
| GTIN (EAN) | 4050118304114 | |
| Qty. | 25 pc(s). | |
| Type | KRN-M10/-50 S | Version |
| Order No. | 1494840000 | cable lug, terminal end, 50 mm ² |
| GTIN (EAN) | 4050118304619 | |
| Qty. | 25 pc(s). | |

ES EPG/HPG 60 HEX 150

Weidmüller Interface GmbH & Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

35 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|---|
| Type | KWPN-M6/-35 90 | Version |
| Order No. | 1497540000 | cable lug, terminal end, 35 mm ² |
| GTIN (EAN) | 4050118306996 | |
| Qty. | 100 pc(s). | |
| Type | KWPN-M10/-35 90 | Version |
| Order No. | 1497570000 | cable lug, terminal end, 35 mm ² |
| GTIN (EAN) | 4050118307153 | |
| Qty. | 100 pc(s). | |
| Type | KWPN-M12/-35 90 | Version |
| Order No. | 1497580000 | cable lug, terminal end, 35 mm ² |
| GTIN (EAN) | 4050118306682 | |
| Qty. | 100 pc(s). | |
| Type | KWPN-M8/-35 90 | Version |
| Order No. | 1497550000 | cable lug, terminal end, 35 mm ² |
| GTIN (EAN) | 4050118307146 | |
| Qty. | 100 pc(s). | |

120 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|--|
| Type | KWPN-M10/-120 90 | Version |
| Order No. | 1497750000 | cable lug, terminal end, 120 mm ² |
| GTIN (EAN) | 4050118307061 | |
| Qty. | 25 pc(s). | |

ES EPG/HPG 60 HEX 150

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

| | | |
|------------|----------------------------|--|
| Type | KWPN-M20/-120 90 | Version |
| Order No. | 1497780000 | cable lug, terminal end, 120 mm ² |
| GTIN (EAN) | 4050118307191 | |
| Qty. | 25 pc(s). | |
| Type | KWPN-M16/120 90 | Version |
| Order No. | 1497770000 | cable lug, terminal end, 120 mm ² |
| GTIN (EAN) | 4050118307030 | |
| Qty. | 25 pc(s). | |
| Type | KWPN-M12/-120 90 | Version |
| Order No. | 1497760000 | cable lug, terminal end, 120 mm ² |
| GTIN (EAN) | 4050118307184 | |
| Qty. | 25 pc(s). | |

35 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|---|
| Type | KRN-M8/-35 | Version |
| Order No. | 1496550000 | cable lug, terminal end, 35 mm ² |
| GTIN (EAN) | 4050118305913 | |
| Qty. | 100 pc(s). | |
| Type | KRN-M12/-35 | Version |
| Order No. | 1496580000 | cable lug, terminal end, 35 mm ² |
| GTIN (EAN) | 4050118306019 | |
| Qty. | 100 pc(s). | |
| Type | KRN-M10/-35 | Version |
| Order No. | 1496570000 | cable lug, terminal end, 35 mm ² |
| GTIN (EAN) | 4050118305920 | |
| Qty. | 100 pc(s). | |
| Type | KRN-M6/-35 | Version |
| Order No. | 1496540000 | cable lug, terminal end, 35 mm ² |
| GTIN (EAN) | 4050118306156 | |
| Qty. | 100 pc(s). | |

ES EPG/HPG 60 HEX 150

Weidmüller Interface GmbH & Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

150 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|--|
| Type | VPLN/-150 | Version |
| Order No. | 1492970000 | cable lug, terminal end, 150 mm ² , 150 mm ² |
| GTIN (EAN) | 4050118302912 | |
| Qty. | 50 pc(s). | |

70 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|---|
| Type | KQN-M20/-70 | Version |
| Order No. | 1493250000 | cable lug, terminal end, 70 mm ² |
| GTIN (EAN) | 4050118303087 | |
| Qty. | 50 pc(s). | |
| Type | KQN-M16/-70 | Version |
| Order No. | 1493240000 | cable lug, terminal end, 70 mm ² |
| GTIN (EAN) | 4050118303131 | |
| Qty. | 50 pc(s). | |
| Type | KQN-M12/-70 | Version |
| Order No. | 1493230000 | cable lug, terminal end, 70 mm ² |
| GTIN (EAN) | 4050118303032 | |
| Qty. | 50 pc(s). | |
| Type | KQN-M6/-70 | Version |
| Order No. | 1493190000 | cable lug, terminal end, 70 mm ² |
| GTIN (EAN) | 4050118303261 | |
| Qty. | 50 pc(s). | |

ES EPG/HPG 60 HEX 150

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

| | | |
|------------|----------------------------|---|
| Type | KQN-M10/-70 | Version |
| Order No. | 1493220000 | cable lug, terminal end, 70 mm ² |
| GTIN (EAN) | 4050118302882 | |
| Qty. | 50 pc(s). | |
| Type | KQN-M8/-70 | Version |
| Order No. | 1493210000 | cable lug, terminal end, 70 mm ² |
| GTIN (EAN) | 4050118302875 | |
| Qty. | 50 pc(s). | |

25 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|--|
| Type | VPN/-25 | Version |
| Order No. | 1498640000 | cable lug, terminal end, 25 mm ² , 25 mm ² |
| GTIN (EAN) | 4050118308013 | |
| Qty. | 100 pc(s). | |

70 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|---|
| Type | KWN-M10/-70 45 | Version |
| Order No. | 1496320000 | cable lug, terminal end, 70 mm ² |
| GTIN (EAN) | 4050118306255 | |
| Qty. | 25 pc(s). | |
| Type | KWN-M8/-70 45 | Version |
| Order No. | 1496310000 | cable lug, terminal end, 70 mm ² |
| GTIN (EAN) | 4050118305944 | |
| Qty. | 25 pc(s). | |

ES EPG/HPG 60 HEX 150

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

| | | |
|------------|----------------------------|---------------------------------|
| Type | KWN-M12/-70 45 | Version |
| Order No. | 1496330000 | cable lug, terminal end, 70 mm² |
| GTIN (EAN) | 4050118305586 | |
| Qty. | 25 pc(s). | |

25 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|---------------------------------|
| Type | KWN-M8/-25 45 | Version |
| Order No. | 1496190000 | cable lug, terminal end, 25 mm² |
| GTIN (EAN) | 4050118306231 | |
| Qty. | 100 pc(s). | |
| Type | KWN-M6/-25 45 | Version |
| Order No. | 1496180000 | cable lug, terminal end, 25 mm² |
| GTIN (EAN) | 4050118305876 | |
| Qty. | 100 pc(s). | |
| Type | KWN-M10/-25 45 | Version |
| Order No. | 1496200000 | cable lug, terminal end, 25 mm² |
| GTIN (EAN) | 4050118305593 | |
| Qty. | 100 pc(s). | |
| Type | KWN-M12/-25 45 | Version |
| Order No. | 1496210000 | cable lug, terminal end, 25 mm² |
| GTIN (EAN) | 4050118305715 | |
| Qty. | 100 pc(s). | |

ES EPG/HPG 60 HEX 150

Weidmüller Interface GmbH & Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

70 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|---|
| Type | KRN-M14/-70 | Version |
| Order No. | 1495770000 | cable lug, terminal end, 70 mm ² |
| GTIN (EAN) | 4050118305166 | |
| Qty. | 25 pc(s). | |
| Type | KRN-M20/-70 | Version |
| Order No. | 1495590000 | cable lug, terminal end, 70 mm ² |
| GTIN (EAN) | 4050118305302 | |
| Qty. | 25 pc(s). | |
| Type | KRN-M6/-70 | Version |
| Order No. | 1496640000 | cable lug, terminal end, 70 mm ² |
| GTIN (EAN) | 4050118305951 | |
| Qty. | 25 pc(s). | |
| Type | KRN-M16/-70 | Version |
| Order No. | 1495580000 | cable lug, terminal end, 70 mm ² |
| GTIN (EAN) | 4050118305340 | |
| Qty. | 25 pc(s). | |
| Type | KRN-M10/-70 | Version |
| Order No. | 1496670000 | cable lug, terminal end, 70 mm ² |
| GTIN (EAN) | 4050118305845 | |
| Qty. | 25 pc(s). | |
| Type | KRN-M8/-70 | Version |
| Order No. | 1496650000 | cable lug, terminal end, 70 mm ² |
| GTIN (EAN) | 4050118305791 | |
| Qty. | 25 pc(s). | |
| Type | KRN-M12/-70 | Version |
| Order No. | 1495570000 | cable lug, terminal end, 70 mm ² |
| GTIN (EAN) | 4050118304992 | |
| Qty. | 25 pc(s). | |

ES EPG/HPG 60 HEX 150

Weidmüller Interface GmbH & Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

95 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|--|
| Type | VSTN/95 | Version |
| Order No. | 1493090000 | cable lug, terminal end, 95 mm ² , 95 mm ² |
| GTIN (EAN) | 4050118302929 | |
| Qty. | 50 pc(s). | |

95 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|---|
| Type | KWN-M12/-95 90 | Version |
| Order No. | 1496100000 | cable lug, terminal end, 95 mm ² |
| GTIN (EAN) | 4050118305487 | |
| Qty. | 25 pc(s). | |
| Type | KWN-M10/-95 90 | Version |
| Order No. | 1496090000 | cable lug, terminal end, 95 mm ² |
| GTIN (EAN) | 4050118305692 | |
| Qty. | 25 pc(s). | |
| Type | KWN-M8/-95 90 | Version |
| Order No. | 1496080000 | cable lug, terminal end, 95 mm ² |
| GTIN (EAN) | 4050118305685 | |
| Qty. | 25 pc(s). | |
| Type | KWN-M16/-95 90 | Version |
| Order No. | 1496110000 | cable lug, terminal end, 95 mm ² |
| GTIN (EAN) | 4050118305678 | |
| Qty. | 25 pc(s). | |

ES EPG/HPG 60 HEX 150

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

| | | |
|------------|----------------------------|---------------------------------|
| Type | KWN-M14/-95 90 | Version |
| Order No. | 1494670000 | cable lug, terminal end, 95 mm² |
| GTIN (EAN) | 4050118304411 | |
| Qty. | 25 pc(s). | |

95 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|---------------------------------|
| Type | KWN-M16/-95 45 | Version |
| Order No. | 1496380000 | cable lug, terminal end, 95 mm² |
| GTIN (EAN) | 4050118305838 | |
| Qty. | 25 pc(s). | |
| Type | KWN-M8/-95 45 | Version |
| Order No. | 1496340000 | cable lug, terminal end, 95 mm² |
| GTIN (EAN) | 4050118305821 | |
| Qty. | 25 pc(s). | |
| Type | KWN-M12/-95 45 | Version |
| Order No. | 1496370000 | cable lug, terminal end, 95 mm² |
| GTIN (EAN) | 4050118305890 | |
| Qty. | 25 pc(s). | |
| Type | KWN-M10/-95 45 | Version |
| Order No. | 1496350000 | cable lug, terminal end, 95 mm² |
| GTIN (EAN) | 4050118306125 | |
| Qty. | 25 pc(s). | |

ES EPG/HPG 60 HEX 150

Weidmüller Interface GmbH & Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

35 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|--|
| Type | VSTN/-35 | Version |
| Order No. | 1494740000 | cable lug, terminal end, 35 mm ² , 35 mm ² |
| GTIN (EAN) | 4050118304428 | |
| Qty. | 50 pc(s). | |

Tools



Crimping tools for cable lugs, connectors and wire-end ferrules with interchangeable inserts

- extremely fast processing thanks to hydraulic support
- large processing range up to 400 mm²
- 360° revolving quick action crimping head
- automatic pressure limitation and monitoring via pressure sensor
- Additional features for APG series:
- electronic control and monitoring of the crimping process
- Saving of all crimping cycles and error messages to internal memory
- Reading of all cycles and error messages via USB

General ordering data

| | | |
|------------|----------------------------|--|
| Type | HPG 60 | Version |
| Order No. | 2453820000 | 6mm ² , 300mm ² , Hexagonal crimp, WM crimp, Indent crimp, |
| GTIN (EAN) | 4050118468427 | Trapezoidal crimp, Oval crimping |
| Qty. | 1 pc(s). | |

ES EPG/HPG 60 HEX 150

Weidmüller Interface GmbH & Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

120 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|--|
| Type | VSTN/-120 | Version |
| Order No. | 1494780000 | cable lug, terminal end, 120 mm ² , 120 mm ² |
| GTIN (EAN) | 4050118304282 | |
| Qty. | 25 pc(s). | |

70 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|---|
| Type | KP-M8/-70 | Version |
| Order No. | 1498130000 | cable lug, terminal end, 70 mm ² |
| GTIN (EAN) | 4050118307351 | |
| Qty. | 50 pc(s). | |
| Type | KP-M20/-70 | Version |
| Order No. | 1498170000 | cable lug, terminal end, 70 mm ² |
| GTIN (EAN) | 4050118307344 | |
| Qty. | 50 pc(s). | |
| Type | KP-M14/-70 | Version |
| Order No. | 1498560000 | cable lug, terminal end, 70 mm ² |
| GTIN (EAN) | 4050118307696 | |
| Qty. | 50 pc(s). | |
| Type | KP-M10/-70 | Version |
| Order No. | 1498140000 | cable lug, terminal end, 70 mm ² |
| GTIN (EAN) | 4050118307429 | |
| Qty. | 50 pc(s). | |

ES EPG/HPG 60 HEX 150

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

| | | |
|------------|----------------------------|---|
| Type | KP-M16/-70 | Version |
| Order No. | 1498160000 | cable lug, terminal end, 70 mm ² |
| GTIN (EAN) | 4050118307481 | |
| Qty. | 50 pc(s). | |
| Type | KP-M12/-70 | Version |
| Order No. | 1498150000 | cable lug, terminal end, 70 mm ² |
| GTIN (EAN) | 4050118307467 | |
| Qty. | 50 pc(s). | |

95 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|--|
| Type | VSTN/-95 | Version |
| Order No. | 1494770000 | cable lug, terminal end, 95 mm ² , 95 mm ² |
| GTIN (EAN) | 4050118304220 | |
| Qty. | 50 pc(s). | |

150 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|--|
| Type | KP-M16/-150 | Version |
| Order No. | 1498330000 | cable lug, terminal end, 150 mm ² |
| GTIN (EAN) | 4050118307641 | |
| Qty. | 25 pc(s). | |
| Type | KP-M20/-150 | Version |
| Order No. | 1498340000 | cable lug, terminal end, 150 mm ² |
| GTIN (EAN) | 4050118307740 | |
| Qty. | 25 pc(s). | |

ES EPG/HPG 60 HEX 150

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

| | | |
|------------|----------------------------|--|
| Type | KP-M8/-150 | Version |
| Order No. | 1498290000 | cable lug, terminal end, 150 mm ² |
| GTIN (EAN) | 4050118307399 | |
| Qty. | 25 pc(s). | |
| Type | KP-M12/-150 | Version |
| Order No. | 1498320000 | cable lug, terminal end, 150 mm ² |
| GTIN (EAN) | 4050118307658 | |
| Qty. | 25 pc(s). | |
| Type | KP-M14/-150 | Version |
| Order No. | 1498580000 | cable lug, terminal end, 150 mm ² |
| GTIN (EAN) | 4050118308112 | |
| Qty. | 25 pc(s). | |

95 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|--|
| Type | VPN/-95 | Version |
| Order No. | 1498680000 | cable lug, terminal end, 95 mm ² , 95 mm ² |
| GTIN (EAN) | 4050118307917 | |
| Qty. | 50 pc(s). | |

35 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|---|
| Type | KP-M12/35 | Version |
| Order No. | 1498050000 | cable lug, terminal end, 35 mm ² |
| GTIN (EAN) | 4050118307320 | |
| Qty. | 100 pc(s). | |

ES EPG/HPG 60 HEX 150

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

| | | |
|------------|----------------------------|---|
| Type | KP-M8/-35 | Version |
| Order No. | 1498030000 | cable lug, terminal end, 35 mm ² |
| GTIN (EAN) | 4050118307511 | |
| Qty. | 100 pc(s). | |
| Type | KP-M16/-35 | Version |
| Order No. | 1498060000 | cable lug, terminal end, 35 mm ² |
| GTIN (EAN) | 4050118307382 | |
| Qty. | 100 pc(s). | |
| Type | KP-M10/-35 | Version |
| Order No. | 1498040000 | cable lug, terminal end, 35 mm ² |
| GTIN (EAN) | 4050118307337 | |
| Qty. | 100 pc(s). | |
| Type | KP-M6/-35 | Version |
| Order No. | 1498020000 | cable lug, terminal end, 35 mm ² |
| GTIN (EAN) | 4050118307313 | |
| Qty. | 100 pc(s). | |

25 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|---|
| Type | KWPN-M6/-25 90 | Version |
| Order No. | 1497490000 | cable lug, terminal end, 25 mm ² |
| GTIN (EAN) | 4050118306668 | |
| Qty. | 100 pc(s). | |
| Type | KWPN-M10/-25 90 | Version |
| Order No. | 1497520000 | cable lug, terminal end, 25 mm ² |
| GTIN (EAN) | 4050118306989 | |
| Qty. | 100 pc(s). | |
| Type | KWPN-M8/-25 90 | Version |
| Order No. | 1497510000 | cable lug, terminal end, 25 mm ² |
| GTIN (EAN) | 4050118306972 | |
| Qty. | 100 pc(s). | |
| Type | KWPN-M12/-25 90 | Version |
| Order No. | 1497530000 | cable lug, terminal end, 25 mm ² |
| GTIN (EAN) | 4050118307108 | |
| Qty. | 100 pc(s). | |

ES EPG/HPG 60 HEX 150

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

50 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|--|
| Type | VPN/-50 | Version |
| Order No. | 1498660000 | cable lug, terminal end, 50 mm ² , 50 mm ² |
| GTIN (EAN) | 4050118307948 | |
| Qty. | 50 pc(s). | |

35 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|---|
| Type | KWN-M10/-35 90 | Version |
| Order No. | 1495930000 | cable lug, terminal end, 35 mm ² |
| GTIN (EAN) | 4050118305173 | |
| Qty. | 100 pc(s). | |
| Type | KWN-M8/-35 90 | Version |
| Order No. | 1495920000 | cable lug, terminal end, 35 mm ² |
| GTIN (EAN) | 4050118305548 | |
| Qty. | 100 pc(s). | |
| Type | KWN-M12/-35 90 | Version |
| Order No. | 1495940000 | cable lug, terminal end, 35 mm ² |
| GTIN (EAN) | 4050118305623 | |
| Qty. | 100 pc(s). | |
| Type | KWN-M6/-35 90 | Version |
| Order No. | 1495910000 | cable lug, terminal end, 35 mm ² |
| GTIN (EAN) | 4050118305418 | |
| Qty. | 100 pc(s). | |

ES EPG/HPG 60 HEX 150

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

| | | |
|------------|----------------------------|---------------------------------|
| Type | KWN-M16/-35 90 | Version |
| Order No. | 1494690000 | cable lug, terminal end, 35 mm² |
| GTIN (EAN) | 4050118304268 | |
| Qty. | 100 pc(s). | |
| Type | KWN-M14/-35 90 | Version |
| Order No. | 1494640000 | cable lug, terminal end, 35 mm² |
| GTIN (EAN) | 4050118304350 | |
| Qty. | 100 pc(s). | |

95 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|---------------------------------|
| Type | KRN-M6/-95 | Version |
| Order No. | 1495820000 | cable lug, terminal end, 95 mm² |
| GTIN (EAN) | 4050118305531 | |
| Qty. | 25 pc(s). | |
| Type | KRN-M10/-95 | Version |
| Order No. | 1495610000 | cable lug, terminal end, 95 mm² |
| GTIN (EAN) | 4050118305371 | |
| Qty. | 25 pc(s). | |
| Type | KRN-M16/-95 | Version |
| Order No. | 1495630000 | cable lug, terminal end, 95 mm² |
| GTIN (EAN) | 4050118305326 | |
| Qty. | 25 pc(s). | |
| Type | KRN-M12/-95 | Version |
| Order No. | 1495620000 | cable lug, terminal end, 95 mm² |
| GTIN (EAN) | 4050118305265 | |
| Qty. | 25 pc(s). | |
| Type | KRN-M20/-95 | Version |
| Order No. | 1495640000 | cable lug, terminal end, 95 mm² |
| GTIN (EAN) | 4050118305319 | |
| Qty. | 25 pc(s). | |
| Type | KRN-M8/-95 | Version |
| Order No. | 1495600000 | cable lug, terminal end, 95 mm² |
| GTIN (EAN) | 4050118305241 | |
| Qty. | 25 pc(s). | |
| Type | KRN-M14/-95 | Version |
| Order No. | 1495780000 | cable lug, terminal end, 95 mm² |
| GTIN (EAN) | 4050118305555 | |
| Qty. | 25 pc(s). | |

ES EPG/HPG 60 HEX 150

Weidmüller Interface GmbH & Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

95 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|--|
| Type | VPLN/-95 | Version |
| Order No. | 1492950000 | cable lug, terminal end, 95 mm ² , 95 mm ² |
| GTIN (EAN) | 4050118302622 | |
| Qty. | 50 pc(s). | |

150 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|--|
| Type | KWPN-M8/-150 90 | Version |
| Order No. | 1497790000 | cable lug, terminal end, 150 mm ² |
| GTIN (EAN) | 4050118307085 | |
| Qty. | 25 pc(s). | |
| Type | KWPN-M12/-150 90 | Version |
| Order No. | 1497820000 | cable lug, terminal end, 150 mm ² |
| GTIN (EAN) | 4050118307306 | |
| Qty. | 25 pc(s). | |
| Type | KWPN-M20/150 90 | Version |
| Order No. | 1496680000 | cable lug, terminal end, 150 mm ² |
| GTIN (EAN) | 4050118306088 | |
| Qty. | 25 pc(s). | |
| Type | KWPN-M16/-150 90 | Version |
| Order No. | 1497830000 | cable lug, terminal end, 150 mm ² |
| GTIN (EAN) | 4050118307160 | |
| Qty. | 25 pc(s). | |

ES EPG/HPG 60 HEX 150

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

| | | |
|------------|----------------------------|--|
| Type | KWPN-M10/-150 90 | Version |
| Order No. | 1497810000 | cable lug, terminal end, 150 mm ² |
| GTIN (EAN) | 4050118307221 | |
| Qty. | 25 pc(s). | |

120 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|--|
| Type | KRN-M8/-120 S | Version |
| Order No. | 1494420000 | cable lug, terminal end, 120 mm ² |
| GTIN (EAN) | 4050118304077 | |
| Qty. | 10 pc(s). | |
| Type | KRN-M12/-120 S | Version |
| Order No. | 1494930000 | cable lug, terminal end, 120 mm ² |
| GTIN (EAN) | 4050118304602 | |
| Qty. | 10 pc(s). | |
| Type | KRN-M10/-120 S | Version |
| Order No. | 1494920000 | cable lug, terminal end, 120 mm ² |
| GTIN (EAN) | 4050118304626 | |
| Qty. | 10 pc(s). | |
| Type | KRN-M6/-120 S | Version |
| Order No. | 1494410000 | cable lug, terminal end, 120 mm ² |
| GTIN (EAN) | 4050118304060 | |
| Qty. | 10 pc(s). | |

ES EPG/HPG 60 HEX 150

Weidmüller Interface GmbH & Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

150 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|--|
| Type | KWN-M20/-150 90 | Version |
| Order No. | 1494530000 | cable lug, terminal end, 150 mm ² |
| GTIN (EAN) | 4050118304206 | |
| Qty. | 25 pc(s). | |
| Type | KWN-M12/-150 90 | Version |
| Order No. | 1494510000 | cable lug, terminal end, 150 mm ² |
| GTIN (EAN) | 4050118304305 | |
| Qty. | 25 pc(s). | |
| Type | KWN-M10/150 90 | Version |
| Order No. | 1494500000 | cable lug, terminal end, 150 mm ² |
| GTIN (EAN) | 4050118303896 | |
| Qty. | 25 pc(s). | |
| Type | KWN-M8/-150 90 | Version |
| Order No. | 1494490000 | cable lug, terminal end, 150 mm ² |
| GTIN (EAN) | 4050118304107 | |
| Qty. | 25 pc(s). | |
| Type | KWN-M16/-150 90 | Version |
| Order No. | 1494520000 | cable lug, terminal end, 150 mm ² |
| GTIN (EAN) | 4050118303995 | |
| Qty. | 25 pc(s). | |

ES EPG/HPG 60 HEX 150

Weidmüller Interface GmbH & Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

25 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|---|
| Type | KQN-M8/-25 | Version |
| Order No. | 1494140000 | cable lug, terminal end, 25 mm ² |
| GTIN (EAN) | 4050118303872 | |
| Qty. | 50 pc(s). | |
| Type | KQN-M16/-25 | Version |
| Order No. | 1493490000 | cable lug, terminal end, 25 mm ² |
| GTIN (EAN) | 4050118303148 | |
| Qty. | 50 pc(s). | |
| Type | KQN-M6/-25 | Version |
| Order No. | 1494130000 | cable lug, terminal end, 25 mm ² |
| GTIN (EAN) | 4050118303858 | |
| Qty. | 50 pc(s). | |
| Type | KQN-M12/-25 | Version |
| Order No. | 1494160000 | cable lug, terminal end, 25 mm ² |
| GTIN (EAN) | 4050118303902 | |
| Qty. | 50 pc(s). | |
| Type | KQN-M10/-25 | Version |
| Order No. | 1494150000 | cable lug, terminal end, 25 mm ² |
| GTIN (EAN) | 4050118303865 | |
| Qty. | 50 pc(s). | |
| Type | KQN-M5/-25 | Version |
| Order No. | 1494120000 | cable lug, terminal end, 25 mm ² |
| GTIN (EAN) | 4050118303827 | |
| Qty. | 50 pc(s). | |

ES EPG/HPG 60 HEX 150

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

50 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|---|
| Type | KWPN-M16/-50 90 | Version |
| Order No. | 1497630000 | cable lug, terminal end, 50 mm ² |
| GTIN (EAN) | 4050118307115 | |
| Qty. | 100 pc(s). | |
| Type | KWPN-M8/-50 90 | Version |
| Order No. | 1497590000 | cable lug, terminal end, 50 mm ² |
| GTIN (EAN) | 4050118306699 | |
| Qty. | 100 pc(s). | |
| Type | KWPN-M10/-50 90 | Version |
| Order No. | 1497610000 | cable lug, terminal end, 50 mm ² |
| GTIN (EAN) | 4050118307078 | |
| Qty. | 100 pc(s). | |
| Type | KWPN-M12/-50 90 | Version |
| Order No. | 1497620000 | cable lug, terminal end, 50 mm ² |
| GTIN (EAN) | 4050118306675 | |
| Qty. | 100 pc(s). | |

50 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|--|
| Type | VSTN/-50 | Version |
| Order No. | 1494750000 | cable lug, terminal end, 50 mm ² , 50 mm ² |
| GTIN (EAN) | 4050118304381 | |
| Qty. | 50 pc(s). | |

ES EPG/HPG 60 HEX 150

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

50 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|--|
| Type | VSTN/50 | Version |
| Order No. | 1493070000 | cable lug, terminal end, 50 mm ² , 50 mm ² |
| GTIN (EAN) | 4050118302691 | |
| Qty. | 100 pc(s). | |

95 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|---|
| Type | KWPN-M16/-95 90 | Version |
| Order No. | 1497730000 | cable lug, terminal end, 95 mm ² |
| GTIN (EAN) | 4050118307054 | |
| Qty. | 25 pc(s). | |
| Type | KWPN-M12/-95 90 | Version |
| Order No. | 1497720000 | cable lug, terminal end, 95 mm ² |
| GTIN (EAN) | 4050118307214 | |
| Qty. | 25 pc(s). | |
| Type | KWPN-M10/-95 90 | Version |
| Order No. | 1497710000 | cable lug, terminal end, 95 mm ² |
| GTIN (EAN) | 4050118307139 | |
| Qty. | 25 pc(s). | |
| Type | KWPN-M8/-95 90 | Version |
| Order No. | 1497690000 | cable lug, terminal end, 95 mm ² |
| GTIN (EAN) | 4050118307207 | |
| Qty. | 25 pc(s). | |

ES EPG/HPG 60 HEX 150

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

50 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|---|
| Type | KRN-M20/-50 | Version |
| Order No. | 1495840000 | cable lug, terminal end, 50 mm ² |
| GTIN (EAN) | 4050118305364 | |
| Qty. | 100 pc(s). | |
| Type | KRN-M10/-50 | Version |
| Order No. | 1496610000 | cable lug, terminal end, 50 mm ² |
| GTIN (EAN) | 4050118306064 | |
| Qty. | 100 pc(s). | |
| Type | KRN-M6/-50 | Version |
| Order No. | 1496590000 | cable lug, terminal end, 50 mm ² |
| GTIN (EAN) | 4050118305746 | |
| Qty. | 100 pc(s). | |
| Type | KRN-M12/-50 | Version |
| Order No. | 1496620000 | cable lug, terminal end, 50 mm ² |
| GTIN (EAN) | 4050118305722 | |
| Qty. | 100 pc(s). | |
| Type | KRN-M8/-50 | Version |
| Order No. | 1496600000 | cable lug, terminal end, 50 mm ² |
| GTIN (EAN) | 4050118306149 | |
| Qty. | 100 pc(s). | |
| Type | KRN-M16/-50 | Version |
| Order No. | 1496630000 | cable lug, terminal end, 50 mm ² |
| GTIN (EAN) | 4050118306200 | |
| Qty. | 100 pc(s). | |
| Type | KRN-M14/-50 | Version |
| Order No. | 1495750000 | cable lug, terminal end, 50 mm ² |
| GTIN (EAN) | 4050118305197 | |
| Qty. | 100 pc(s). | |

ES EPG/HPG 60 HEX 150

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

150 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|--|
| Type | KRN-M10/-150 S | Version |
| Order No. | 1494950000 | cable lug, terminal end, 150 mm ² |
| GTIN (EAN) | 4050118304473 | |
| Qty. | 10 pc(s). | |
| Type | KRN-M8/-150 S | Version |
| Order No. | 1494940000 | cable lug, terminal end, 150 mm ² |
| GTIN (EAN) | 4050118304701 | |
| Qty. | 10 pc(s). | |
| Type | KRN-M12/-150 S | Version |
| Order No. | 1494970000 | cable lug, terminal end, 150 mm ² |
| GTIN (EAN) | 4050118304459 | |
| Qty. | 10 pc(s). | |
| Type | KRN-M6/-150 S | Version |
| Order No. | 1494440000 | cable lug, terminal end, 150 mm ² |
| GTIN (EAN) | 4050118303964 | |
| Qty. | 10 pc(s). | |

70 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|--|
| Type | VSTN/-70 | Version |
| Order No. | 1494760000 | cable lug, terminal end, 70 mm ² , 70 mm ² |
| GTIN (EAN) | 4050118304299 | |
| Qty. | 50 pc(s). | |

ES EPG/HPG 60 HEX 150

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26


D-32758 Detmold

Germany

www.weidmueller.com

Accessories

70 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|--|
| Type | VPLN/-70 | Version |
| Order No. | 1492940000 | cable lug, terminal end, 70 mm ² , 70 mm ² |
| GTIN (EAN) | 4050118302738 | |
| Qty. | 100 pc(s). | |

25 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|--|
| Type | VSTN/25 | Version |
| Order No. | 1493050000 | cable lug, terminal end, 25 mm ² , 25 mm ² |
| GTIN (EAN) | 4050118302783 | |
| Qty. | 100 pc(s). | |

ES EPG/HPG 60 HEX 150

Weidmüller Interface GmbH & Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

50 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|--|
| Type | VPLN/-50 | Version |
| Order No. | 1492930000 | cable lug, terminal end, 50 mm ² , 50 mm ² |
| GTIN (EAN) | 4050118302684 | |
| Qty. | 100 pc(s). | |

150 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data


| | | |
|------------|----------------------------|--|
| Type | VPN/-150 | Version |
| Order No. | 1498710000 | cable lug, terminal end, 150 mm ² , 150 mm ² |
| GTIN (EAN) | 4050118308129 | |
| Qty. | 25 pc(s). | |

ES EPG/HPG 60 HEX 150**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com**Accessories****10 mm²**

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|--|
| Type | KP-M10/-150 | Version |
| Order No. | 1498310000 | cable lug, terminal end, 150 mm ² |
| GTIN (EAN) | 4050118307801 | |
| Qty. | 25 pc(s). | |

35 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|--|
| Type | VPN/-35 | Version |
| Order No. | 1498650000 | cable lug, terminal end, 35 mm ² , 35 mm ² |
| GTIN (EAN) | 4050118308143 | |
| Qty. | 100 pc(s). | |

ES EPG/HPG 60 HEX 150

Weidmüller Interface GmbH & Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

150 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|--|
| Type | VSTN/150 | Version |
| Order No. | 1493120000 | cable lug, terminal end, 150 mm ² , 150 mm ² |
| GTIN (EAN) | 4050118302905 | |
| Qty. | 50 pc(s). | |

70 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|--|
| Type | VPN/-70 | Version |
| Order No. | 1498670000 | cable lug, terminal end, 70 mm ² , 70 mm ² |
| GTIN (EAN) | 4050118308020 | |
| Qty. | 50 pc(s). | |

ES EPG/HPG 60 HEX 150

Weidmüller Interface GmbH & Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

120 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|--|
| Type | KWN-M10/-120 90 | Version |
| Order No. | 1494450000 | cable lug, terminal end, 120 mm ² |
| GTIN (EAN) | 4050118304084 | |
| Qty. | 25 pc(s). | |
| Type | KWN-M16/-120 90 | Version |
| Order No. | 1494480000 | cable lug, terminal end, 120 mm ² |
| GTIN (EAN) | 4050118304312 | |
| Qty. | 25 pc(s). | |
| Type | KWN-M12/-120 90 | Version |
| Order No. | 1494470000 | cable lug, terminal end, 120 mm ² |
| GTIN (EAN) | 4050118304091 | |
| Qty. | 25 pc(s). | |
| Type | KWN-M8/-120 90 | Version |
| Order No. | 1494680000 | cable lug, terminal end, 120 mm ² |
| GTIN (EAN) | 4050118304343 | |
| Qty. | 25 pc(s). | |

25 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|---|
| Type | KP-M12/-25 | Version |
| Order No. | 1498000000 | cable lug, terminal end, 25 mm ² |
| GTIN (EAN) | 4050118307504 | |
| Qty. | 100 pc(s). | |

ES EPG/HPG 60 HEX 150

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

| | | |
|------------|----------------------------|---------------------------------|
| Type | KP-M10/-25 | Version |
| Order No. | 1497990000 | cable lug, terminal end, 25 mm² |
| GTIN (EAN) | 4050118307535 | |
| Qty. | 100 pc(s). | |
| Type | KP-M16/-25 | Version |
| Order No. | 1498010000 | cable lug, terminal end, 25 mm² |
| GTIN (EAN) | 4050118307443 | |
| Qty. | 100 pc(s). | |
| Type | KP-M8/-25 | Version |
| Order No. | 1497980000 | cable lug, terminal end, 25 mm² |
| GTIN (EAN) | 4050118307528 | |
| Qty. | 100 pc(s). | |
| Type | KP-M6/-25 | Version |
| Order No. | 1497970000 | cable lug, terminal end, 25 mm² |
| GTIN (EAN) | 4050118307412 | |
| Qty. | 100 pc(s). | |

70 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|---|
| Type | KSN/-70 | Version |
| Order No. | 1492830000 | cable lug, terminal end, 70 mm², 70 mm² |
| GTIN (EAN) | 4050118302585 | |
| Qty. | 50 pc(s). | |

ES EPG/HPG 60 HEX 150

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

150 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|--|
| Type | KRN-M10/-150 | Version |
| Order No. | 1495710000 | cable lug, terminal end, 150 mm ² |
| GTIN (EAN) | 4050118305159 | |
| Qty. | 25 pc(s). | |
| Type | KRN-M8/-150 | Version |
| Order No. | 1495700000 | cable lug, terminal end, 150 mm ² |
| GTIN (EAN) | 4050118305333 | |
| Qty. | 25 pc(s). | |
| Type | KRN-M14/-150 | Version |
| Order No. | 1495810000 | cable lug, terminal end, 150 mm ² |
| GTIN (EAN) | 4050118305500 | |
| Qty. | 25 pc(s). | |
| Type | KRN-M20/-150 | Version |
| Order No. | 1495740000 | cable lug, terminal end, 150 mm ² |
| GTIN (EAN) | 4050118305357 | |
| Qty. | 25 pc(s). | |
| Type | KRN-M12/-150 | Version |
| Order No. | 1495720000 | cable lug, terminal end, 150 mm ² |
| GTIN (EAN) | 4050118305296 | |
| Qty. | 25 pc(s). | |
| Type | KRN-M16/-150 | Version |
| Order No. | 1495730000 | cable lug, terminal end, 150 mm ² |
| GTIN (EAN) | 4050118305395 | |
| Qty. | 25 pc(s). | |

ES EPG/HPG 60 HEX 150

Weidmüller Interface GmbH & Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

50 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|---|
| Type | KQN-M20/-50 | Version |
| Order No. | 1493530000 | cable lug, terminal end, 50 mm ² |
| GTIN (EAN) | 4050118303513 | |
| Qty. | 50 pc(s). | |
| Type | KQN-M8/-50 | Version |
| Order No. | 1493150000 | cable lug, terminal end, 50 mm ² |
| GTIN (EAN) | 4050118302868 | |
| Qty. | 50 pc(s). | |
| Type | KQN-M12/-50 | Version |
| Order No. | 1493170000 | cable lug, terminal end, 50 mm ² |
| GTIN (EAN) | 4050118303216 | |
| Qty. | 50 pc(s). | |
| Type | KQN-M10/-50 | Version |
| Order No. | 1493160000 | cable lug, terminal end, 50 mm ² |
| GTIN (EAN) | 4050118303049 | |
| Qty. | 50 pc(s). | |
| Type | KQN-M16/-50 | Version |
| Order No. | 1493180000 | cable lug, terminal end, 50 mm ² |
| GTIN (EAN) | 4050118302844 | |
| Qty. | 50 pc(s). | |
| Type | KQN-M6/-50 | Version |
| Order No. | 1493510000 | cable lug, terminal end, 50 mm ² |
| GTIN (EAN) | 4050118303179 | |
| Qty. | 50 pc(s). | |

ES EPG/HPG 60 HEX 150

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

50 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|--|
| Type | KSN/-50 | Version |
| Order No. | 1492820000 | cable lug, terminal end, 50 mm ² , 50 mm ² |
| GTIN (EAN) | 4050118302769 | |
| Qty. | 50 pc(s). | |

Tools



Crimping tools for cable lugs, connectors and wire-end ferrules with interchangeable inserts

- extremely fast processing thanks to hydraulic support
- large processing range up to 300 mm²
- 270° revolving quick-action crimping head
- automatic pressure limitation and monitoring via pressure sensor
- electronic control and monitoring of the crimping process
- Saving of all crimping cycles and error messages to internal memory
- Reading of all cycles and error messages via USB
- Li-ion rechargeable battery with charge status indicator: 18 V, 2 Ah

General ordering data

| | | |
|------------|----------------------------|--|
| Type | EPG 60 | Version |
| Order No. | 2453810000 | Pressing tools, Tools, Pressing tool, 6mm ² , 300mm ² , Hexagonal crimp, |
| GTIN (EAN) | 4050118468434 | WM crimp, Indent crimp, Trapezoidal crimp, Oval crimping |
| Qty. | 1 pc(s). | |

ES EPG/HPG 60 HEX 150

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

25 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|--|
| Type | VPLN/-25 | Version |
| Order No. | 1492910000 | cable lug, terminal end, 25 mm ² , 25 mm ² |
| GTIN (EAN) | 4050118302646 | |
| Qty. | 100 pc(s). | |

120 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|--|
| Type | KQN-M16/-120 | Version |
| Order No. | 1493350000 | cable lug, terminal end, 120 mm ² |
| GTIN (EAN) | 4050118303100 | |
| Qty. | 25 pc(s). | |
| Type | KQN-M20/-120 | Version |
| Order No. | 1493360000 | cable lug, terminal end, 120 mm ² |
| GTIN (EAN) | 4050118303063 | |
| Qty. | 25 pc(s). | |
| Type | KQN-M8/-120 | Version |
| Order No. | 1493320000 | cable lug, terminal end, 120 mm ² |
| GTIN (EAN) | 4050118303186 | |
| Qty. | 25 pc(s). | |
| Type | KQN-M12/-120 | Version |
| Order No. | 1493340000 | cable lug, terminal end, 120 mm ² |
| GTIN (EAN) | 4050118302998 | |
| Qty. | 25 pc(s). | |

ES EPG/HPG 60 HEX 150

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

| | | |
|------------|----------------------------|--|
| Type | KQN-M10/-120 | Version |
| Order No. | 1493330000 | cable lug, terminal end, 120 mm ² |
| GTIN (EAN) | 4050118303070 | |
| Qty. | 25 pc(s). | |

70 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|---|
| Type | KWN-M8/-70 90 | Version |
| Order No. | 1496020000 | cable lug, terminal end, 70 mm ² |
| GTIN (EAN) | 4050118305180 | |
| Qty. | 25 pc(s). | |
| Type | KWN-M10/-70 90 | Version |
| Order No. | 1496030000 | cable lug, terminal end, 70 mm ² |
| GTIN (EAN) | 4050118305432 | |
| Qty. | 25 pc(s). | |
| Type | KWN-M12/-70 90 | Version |
| Order No. | 1496040000 | cable lug, terminal end, 70 mm ² |
| GTIN (EAN) | 4050118305463 | |
| Qty. | 25 pc(s). | |
| Type | KWN-M14/-70 90 | Version |
| Order No. | 1494660000 | cable lug, terminal end, 70 mm ² |
| GTIN (EAN) | 4050118304183 | |
| Qty. | 25 pc(s). | |
| Type | KWN-M16/-70 90 | Version |
| Order No. | 1496050000 | cable lug, terminal end, 70 mm ² |
| GTIN (EAN) | 4050118305708 | |
| Qty. | 25 pc(s). | |
| Type | KWN-M6/-70 90 | Version |
| Order No. | 1496010000 | cable lug, terminal end, 70 mm ² |
| GTIN (EAN) | 4050118305609 | |
| Qty. | 25 pc(s). | |
| Type | KWN-M20/-70 90 | Version |
| Order No. | 1496070000 | cable lug, terminal end, 70 mm ² |
| GTIN (EAN) | 4050118305661 | |
| Qty. | 25 pc(s). | |

ES EPG/HPG 60 HEX 150

Weidmüller Interface GmbH & Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

35 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|--|
| Type | VSTN/35 | Version |
| Order No. | 1493060000 | cable lug, terminal end, 35 mm ² , 35 mm ² |
| GTIN (EAN) | 4050118302943 | |
| Qty. | 100 pc(s). | |

50 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|---|
| Type | KWN-M8/-50 90 | Version |
| Order No. | 1495970000 | cable lug, terminal end, 50 mm ² |
| GTIN (EAN) | 4050118305425 | |
| Qty. | 100 pc(s). | |
| Type | KWN-M16/-50 90 | Version |
| Order No. | 1496000000 | cable lug, terminal end, 50 mm ² |
| GTIN (EAN) | 4050118305630 | |
| Qty. | 100 pc(s). | |
| Type | KWN-M10/-50 90 | Version |
| Order No. | 1495980000 | cable lug, terminal end, 50 mm ² |
| GTIN (EAN) | 4050118305494 | |
| Qty. | 100 pc(s). | |
| Type | KWN-M14/-50 90 | Version |
| Order No. | 1494650000 | cable lug, terminal end, 50 mm ² |
| GTIN (EAN) | 4050118304251 | |
| Qty. | 100 pc(s). | |

ES EPG/HPG 60 HEX 150

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

| | | |
|------------|----------------------------|---------------------------------|
| Type | KWN-M20/-50 90 | Version |
| Order No. | 1494710000 | cable lug, terminal end, 50 mm² |
| GTIN (EAN) | 4050118304442 | |
| Qty. | 100 pc(s). | |
| Type | KWN-M6/-50 90 | Version |
| Order No. | 1495950000 | cable lug, terminal end, 50 mm² |
| GTIN (EAN) | 4050118305388 | |
| Qty. | 100 pc(s). | |
| Type | KWN-M12/-50 90 | Version |
| Order No. | 1495990000 | cable lug, terminal end, 50 mm² |
| GTIN (EAN) | 4050118305654 | |
| Qty. | 100 pc(s). | |

150 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|---|
| Type | VSTN/-150 | Version |
| Order No. | 1497380000 | cable lug, terminal end, 150 mm², 150 mm² |
| GTIN (EAN) | 4050118306958 | |
| Qty. | 25 pc(s). | |

70 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|---------------------------------|
| Type | KWPN-M8/-70 90 | Version |
| Order No. | 1497640000 | cable lug, terminal end, 70 mm² |
| GTIN (EAN) | 4050118307047 | |
| Qty. | 25 pc(s). | |

ES EPG/HPG 60 HEX 150

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

| | | |
|------------|----------------------------|---|
| Type | KWPN-M16/-70 90 | Version |
| Order No. | 1497680000 | cable lug, terminal end, 70 mm ² |
| GTIN (EAN) | 4050118307122 | |
| Qty. | 25 pc(s). | |
| Type | KWPN-M12/-70 90 | Version |
| Order No. | 1497660000 | cable lug, terminal end, 70 mm ² |
| GTIN (EAN) | 4050118307092 | |
| Qty. | 25 pc(s). | |
| Type | KWPN-M10/-70 90 | Version |
| Order No. | 1497650000 | cable lug, terminal end, 70 mm ² |
| GTIN (EAN) | 4050118307177 | |
| Qty. | 25 pc(s). | |

70 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|--|
| Type | VSTN/70 | Version |
| Order No. | 1493080000 | cable lug, terminal end, 70 mm ² , 70 mm ² |
| GTIN (EAN) | 4050118302967 | |
| Qty. | 50 pc(s). | |

120 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|--|
| Type | VPLN/-120 | Version |
| Order No. | 1492960000 | cable lug, terminal end, 120 mm ² , 120 mm ² |
| GTIN (EAN) | 4050118302936 | |
| Qty. | 50 pc(s). | |

ES EPG/HPG 60 HEX 150

Weidmüller Interface GmbH & Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

35 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231


General ordering data

| | | |
|------------|----------------------------|---|
| Type | KQN-M16/-35 | Version |
| Order No. | 1493140000 | cable lug, terminal end, 35 mm ² |
| GTIN (EAN) | 4050118302851 | |
| Qty. | 50 pc(s). | |
| Type | KQN-M6/-35 | Version |
| Order No. | 1494170000 | cable lug, terminal end, 35 mm ² |
| GTIN (EAN) | 4050118304015 | |
| Qty. | 50 pc(s). | |
| Type | KQN-M12/-35 | Version |
| Order No. | 1493130000 | cable lug, terminal end, 35 mm ² |
| GTIN (EAN) | 4050118302837 | |
| Qty. | 50 pc(s). | |
| Type | KQN-M20/-35 | Version |
| Order No. | 1493520000 | cable lug, terminal end, 35 mm ² |
| GTIN (EAN) | 4050118303124 | |
| Qty. | 50 pc(s). | |
| Type | KQN-M10/-35 | Version |
| Order No. | 1494190000 | cable lug, terminal end, 35 mm ² |
| GTIN (EAN) | 4050118303780 | |
| Qty. | 50 pc(s). | |
| Type | KQN-M8/-35 | Version |
| Order No. | 1494180000 | cable lug, terminal end, 35 mm ² |
| GTIN (EAN) | 4050118304022 | |
| Qty. | 50 pc(s). | |

ES EPG/HPG 60 HEX 150

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Accessories**120 mm²**

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

| | | |
|------------|----------------------------|--|
| Type | VSTN/120 | Version |
| Order No. | 1493110000 | cable lug, terminal end, 120 mm ² , 120 mm ² |
| GTIN (EAN) | 4050118302813 | |
| Qty. | 50 pc(s). | |