

**ES EPG/HPG 60 HEX 120****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)**Similar to illustration****Crimping tools for cable lugs, connectors and wire-end ferrules with interchangeable inserts**

- extremely fast processing thanks to hydraulic support
- large processing range up to 300 mm<sup>2</sup>
- 270° revolving quick-action crimping head
- automatic pressure limitation and monitoring via pressure sensor
- electronic control and monitoring of the crimping process
- Saving of all crimping cycles and error messages to internal memory
- Reading of all cycles and error messages via USB
- Li-ion rechargeable battery with charge status indicator: 18 V, 1.5 Ah

**General ordering data**

|            |                                       |
|------------|---------------------------------------|
| Version    | Crimping tool insert, Hexagonal crimp |
| Order No.  | <a href="#">2505230000</a>            |
| Type       | ES EPG/HPG 60 HEX 120                 |
| GTIN (EAN) | 4050118519624                         |
| Qty.       | 1 pc(s).                              |

**ES EPG/HPG 60 HEX 120****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)**Technical data****Dimensions and weights**

|            |       |                 |            |
|------------|-------|-----------------|------------|
| Depth      | 22 mm | Depth (inches)  | 0.866 inch |
| Height     | 42 mm | Height (inches) | 1.654 inch |
| Width      | 42 mm | Width (inches)  | 1.654 inch |
| Net weight | 134 g |                 |            |

**Crimp inserts**

|                            |     |                       |      |
|----------------------------|-----|-----------------------|------|
| Crimp cross-section copper | 120 | Crimping width        | 5 mm |
| Crimping width in mm       | 5   | Identification number | 20   |

**Description of contact**

|                                   |     |                 |   |
|-----------------------------------|-----|-----------------|---|
| Conductor cross-section, max. AWG | 4/0 | Type of contact | DIN 46235 cable lug, DIN 46267 Part 1 cable lug |
|-----------------------------------|-----|-----------------|---|

**tool data crimping**

|                         |                 |                     |
|-------------------------|-----------------|---------------------|
| Cable lug cross section | nominal         | 120 mm <sup>2</sup> |
| Crimping type/profile   | Hexagonal crimp |                     |

**Classifications**

|             |             |             |             |
|-------------|-------------|-------------|-------------|
| ETIM 6.0    | EC001282    | ETIM 7.0    | EC001282    |
| ETIM 8.0    | EC001282    | ETIM 9.0    | EC001282    |
| ECLASS 9.0  | 21-04-90-90 | ECLASS 9.1  | 21-01-90-90 |
| ECLASS 10.0 | 21-04-90-90 | ECLASS 11.0 | 21-04-90-90 |
| ECLASS 12.0 | 21-04-90-90 | ECLASS 13.0 | 21-04-90-90 |

**Downloads**

|            |  |
|------------|--|
| Catalogues | <a href="#">Catalogues in PDF-format</a> |
|------------|--|

## ES EPG/HPG 60 HEX 120

Weidmüller Interface GmbH &amp; Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

120 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

|            |                            |  |
|------------|----------------------------|--|
| Type       | VSTN/120                   | Version  |
| Order No.  | <a href="#">1493110000</a> | cable lug, terminal end, 120 mm <sup>2</sup> , 120 mm <sup>2</sup> |
| GTIN (EAN) | 4050118302813              |  |
| Qty.       | 50 pc(s).                  |  |

120 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

|            |                            |  |
|------------|----------------------------|--|
| Type       | KQN-M10/-120               | Version                                      |
| Order No.  | <a href="#">1493330000</a> | cable lug, terminal end, 120 mm <sup>2</sup> |
| GTIN (EAN) | 4050118303070              |  |
| Qty.       | 25 pc(s).                  |  |
| Type       | KQN-M20/-120               | Version                                      |
| Order No.  | <a href="#">1493360000</a> | cable lug, terminal end, 120 mm <sup>2</sup> |
| GTIN (EAN) | 4050118303063              |  |
| Qty.       | 25 pc(s).                  |  |
| Type       | KQN-M12/-120               | Version                                      |
| Order No.  | <a href="#">1493340000</a> | cable lug, terminal end, 120 mm <sup>2</sup> |
| GTIN (EAN) | 4050118302998              |  |
| Qty.       | 25 pc(s).                  |  |
| Type       | KQN-M8/-120                | Version                                      |
| Order No.  | <a href="#">1493320000</a> | cable lug, terminal end, 120 mm <sup>2</sup> |
| GTIN (EAN) | 4050118303186              |  |
| Qty.       | 25 pc(s).                  |  |

## ES EPG/HPG 60 HEX 120

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

|            |                            |  |
|------------|----------------------------|--|
| Type       | KQN-M16/-120               | Version                                      |
| Order No.  | <a href="#">1493350000</a> | cable lug, terminal end, 120 mm <sup>2</sup> |
| GTIN (EAN) | 4050118303100              |  |
| Qty.       | 25 pc(s).                  |  |

150 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

|            |                            |  |
|------------|----------------------------|--|
| Type       | VPN/-150                   | Version  |
| Order No.  | <a href="#">1498710000</a> | cable lug, terminal end, 150 mm <sup>2</sup> , 150 mm <sup>2</sup> |
| GTIN (EAN) | 4050118308129              |  |
| Qty.       | 25 pc(s).                  |  |

185 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

|            |                            |  |
|------------|----------------------------|--|
| Type       | KRN-M10/-185 S             | Version                                      |
| Order No.  | <a href="#">1494980000</a> | cable lug, terminal end, 185 mm <sup>2</sup> |
| GTIN (EAN) | 4050118304497              |  |
| Qty.       | 10 pc(s).                  |  |
| Type       | KRN-M12/-185 S             | Version                                      |
| Order No.  | <a href="#">1494990000</a> | cable lug, terminal end, 185 mm <sup>2</sup> |
| GTIN (EAN) | 4050118304169              |  |
| Qty.       | 10 pc(s).                  |  |
| Type       | KRN-M16/-185 S             | Version                                      |
| Order No.  | <a href="#">1495000000</a> | cable lug, terminal end, 185 mm <sup>2</sup> |
| GTIN (EAN) | 4050118304367              |  |
| Qty.       | 10 pc(s).                  |  |

## ES EPG/HPG 60 HEX 120

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

240 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

|            |                            |  |
|------------|----------------------------|--|
| Type       | KWN-M16/-240 90            | Version                                      |
| Order No.  | <a href="#">1494620000</a> | cable lug, terminal end, 240 mm <sup>2</sup> |
| GTIN (EAN) | 4050118304237              |  |
| Qty.       | 25 pc(s).                  |  |
| Type       | KWN-M20/-240 90            | Version                                      |
| Order No.  | <a href="#">1494630000</a> | cable lug, terminal end, 240 mm <sup>2</sup> |
| GTIN (EAN) | 4050118304138              |  |
| Qty.       | 25 pc(s).                  |  |
| Type       | KWN-M12/-240 90            | Version                                      |
| Order No.  | <a href="#">1494610000</a> | cable lug, terminal end, 240 mm <sup>2</sup> |
| GTIN (EAN) | 4050118304244              |  |
| Qty.       | 25 pc(s).                  |  |
| Type       | KWN-M10/-240 90            | Version                                      |
| Order No.  | <a href="#">1494590000</a> | cable lug, terminal end, 240 mm <sup>2</sup> |
| GTIN (EAN) | 4050118304145              |  |
| Qty.       | 25 pc(s).                  |  |

150 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

|            |                            |  |
|------------|----------------------------|--|
| Type       | VSTN/-150                  | Version  |
| Order No.  | <a href="#">1497380000</a> | cable lug, terminal end, 150 mm <sup>2</sup> , 150 mm <sup>2</sup> |
| GTIN (EAN) | 4050118306958              |  |
| Qty.       | 25 pc(s).                  |  |

## ES EPG/HPG 60 HEX 120

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

150 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

|            |                            |  |
|------------|----------------------------|--|
| Type       | KWN-M20/-150 45            | Version                                      |
| Order No.  | <a href="#">1496480000</a> | cable lug, terminal end, 150 mm <sup>2</sup> |
| GTIN (EAN) | 4050118305739              |  |
| Qty.       | 25 pc(s).                  |  |
| Type       | KWN-M12/-150 45            | Version                                      |
| Order No.  | <a href="#">1496450000</a> | cable lug, terminal end, 150 mm <sup>2</sup> |
| GTIN (EAN) | 4050118305906              |  |
| Qty.       | 25 pc(s).                  |  |
| Type       | KWN-M16/-150 45            | Version                                      |
| Order No.  | <a href="#">1496470000</a> | cable lug, terminal end, 150 mm <sup>2</sup> |
| GTIN (EAN) | 4050118306132              |  |
| Qty.       | 25 pc(s).                  |  |
| Type       | KWN-M10/-150 45            | Version                                      |
| Order No.  | <a href="#">1496440000</a> | cable lug, terminal end, 150 mm <sup>2</sup> |
| GTIN (EAN) | 4050118305777              |  |
| Qty.       | 25 pc(s).                  |  |
| Type       | KWN-M8/-150 45             | Version                                      |
| Order No.  | <a href="#">1496430000</a> | cable lug, terminal end, 150 mm <sup>2</sup> |
| GTIN (EAN) | 4050118306071              |  |
| Qty.       | 25 pc(s).                  |  |

## ES EPG/HPG 60 HEX 120

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

120 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

|            |                            |  |
|------------|----------------------------|--|
| Type       | VSTN/-120                  | Version  |
| Order No.  | <a href="#">1494780000</a> | cable lug, terminal end, 120 mm <sup>2</sup> , 120 mm <sup>2</sup> |
| GTIN (EAN) | 4050118304282              |  |
| Qty.       | 25 pc(s).                  |  |

150 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

|            |                            |  |
|------------|----------------------------|--|
| Type       | KRN-M10/-150 S             | Version                                      |
| Order No.  | <a href="#">1494950000</a> | cable lug, terminal end, 150 mm <sup>2</sup> |
| GTIN (EAN) | 4050118304473              |  |
| Qty.       | 10 pc(s).                  |  |
| Type       | KRN-M12/-150 S             | Version                                      |
| Order No.  | <a href="#">1494970000</a> | cable lug, terminal end, 150 mm <sup>2</sup> |
| GTIN (EAN) | 4050118304459              |  |
| Qty.       | 10 pc(s).                  |  |
| Type       | KRN-M8/-150 S              | Version                                      |
| Order No.  | <a href="#">1494940000</a> | cable lug, terminal end, 150 mm <sup>2</sup> |
| GTIN (EAN) | 4050118304701              |  |
| Qty.       | 10 pc(s).                  |  |
| Type       | KRN-M6/-150 S              | Version                                      |
| Order No.  | <a href="#">1494440000</a> | cable lug, terminal end, 150 mm <sup>2</sup> |
| GTIN (EAN) | 4050118303964              |  |
| Qty.       | 10 pc(s).                  |  |

## ES EPG/HPG 60 HEX 120

Weidmüller Interface GmbH &amp; Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

150 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

|            |                            |  |
|------------|----------------------------|--|
| Type       | KRN-M8/-150                | Version                                      |
| Order No.  | <a href="#">1495700000</a> | cable lug, terminal end, 150 mm <sup>2</sup> |
| GTIN (EAN) | 4050118305333              |  |
| Qty.       | 25 pc(s).                  |  |
| Type       | KRN-M10/-150               | Version                                      |
| Order No.  | <a href="#">1495710000</a> | cable lug, terminal end, 150 mm <sup>2</sup> |
| GTIN (EAN) | 4050118305159              |  |
| Qty.       | 25 pc(s).                  |  |
| Type       | KRN-M20/-150               | Version                                      |
| Order No.  | <a href="#">1495740000</a> | cable lug, terminal end, 150 mm <sup>2</sup> |
| GTIN (EAN) | 4050118305357              |  |
| Qty.       | 25 pc(s).                  |  |
| Type       | KRN-M14/-150               | Version                                      |
| Order No.  | <a href="#">1495810000</a> | cable lug, terminal end, 150 mm <sup>2</sup> |
| GTIN (EAN) | 4050118305500              |  |
| Qty.       | 25 pc(s).                  |  |
| Type       | KRN-M12/-150               | Version                                      |
| Order No.  | <a href="#">1495720000</a> | cable lug, terminal end, 150 mm <sup>2</sup> |
| GTIN (EAN) | 4050118305296              |  |
| Qty.       | 25 pc(s).                  |  |
| Type       | KRN-M16/-150               | Version                                      |
| Order No.  | <a href="#">1495730000</a> | cable lug, terminal end, 150 mm <sup>2</sup> |
| GTIN (EAN) | 4050118305395              |  |
| Qty.       | 25 pc(s).                  |  |



## ES EPG/HPG 60 HEX 120

Weidmüller Interface GmbH &amp; Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

150 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

|            |                            |  |
|------------|----------------------------|--|
| Type       | KWN-M10/-150 90            | Version                                      |
| Order No.  | <a href="#">1494500000</a> | cable lug, terminal end, 150 mm <sup>2</sup> |
| GTIN (EAN) | 4050118303896              |  |
| Qty.       | 25 pc(s).                  |  |
| Type       | KWN-M12/-150 90            | Version                                      |
| Order No.  | <a href="#">1494510000</a> | cable lug, terminal end, 150 mm <sup>2</sup> |
| GTIN (EAN) | 4050118304305              |  |
| Qty.       | 25 pc(s).                  |  |
| Type       | KWN-M16/-150 90            | Version                                      |
| Order No.  | <a href="#">1494520000</a> | cable lug, terminal end, 150 mm <sup>2</sup> |
| GTIN (EAN) | 4050118303995              |  |
| Qty.       | 25 pc(s).                  |  |
| Type       | KWN-M20/-150 90            | Version                                      |
| Order No.  | <a href="#">1494530000</a> | cable lug, terminal end, 150 mm <sup>2</sup> |
| GTIN (EAN) | 4050118304206              |  |
| Qty.       | 25 pc(s).                  |  |
| Type       | KWN-M8/-150 90             | Version                                      |
| Order No.  | <a href="#">1494490000</a> | cable lug, terminal end, 150 mm <sup>2</sup> |
| GTIN (EAN) | 4050118304107              |  |
| Qty.       | 25 pc(s).                  |  |

## ES EPG/HPG 60 HEX 120

Weidmüller Interface GmbH &amp; Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

150 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

|            |                            |  |
|------------|----------------------------|--|
| Type       | KWPN-M12/-150 90           | Version                                      |
| Order No.  | <a href="#">1497820000</a> | cable lug, terminal end, 150 mm <sup>2</sup> |
| GTIN (EAN) | 4050118307306              |  |
| Qty.       | 25 pc(s).                  |  |
| Type       | KWPN-M20/150 90            | Version                                      |
| Order No.  | <a href="#">1496680000</a> | cable lug, terminal end, 150 mm <sup>2</sup> |
| GTIN (EAN) | 4050118306088              |  |
| Qty.       | 25 pc(s).                  |  |
| Type       | KWPN-M10/-150 90           | Version                                      |
| Order No.  | <a href="#">1497810000</a> | cable lug, terminal end, 150 mm <sup>2</sup> |
| GTIN (EAN) | 4050118307221              |  |
| Qty.       | 25 pc(s).                  |  |
| Type       | KWPN-M16/-150 90           | Version                                      |
| Order No.  | <a href="#">1497830000</a> | cable lug, terminal end, 150 mm <sup>2</sup> |
| GTIN (EAN) | 4050118307160              |  |
| Qty.       | 25 pc(s).                  |  |
| Type       | KWPN-M8/-150 90            | Version                                      |
| Order No.  | <a href="#">1497790000</a> | cable lug, terminal end, 150 mm <sup>2</sup> |
| GTIN (EAN) | 4050118307085              |  |
| Qty.       | 25 pc(s).                  |  |

## ES EPG/HPG 60 HEX 120

Weidmüller Interface GmbH &amp; Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

150 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

|            |                            |  |
|------------|----------------------------|--|
| Type       | KP-M12/-150                | Version                                      |
| Order No.  | <a href="#">1498320000</a> | cable lug, terminal end, 150 mm <sup>2</sup> |
| GTIN (EAN) | 4050118307658              |  |
| Qty.       | 25 pc(s).                  |  |
| Type       | KP-M16/-150                | Version                                      |
| Order No.  | <a href="#">1498330000</a> | cable lug, terminal end, 150 mm <sup>2</sup> |
| GTIN (EAN) | 4050118307641              |  |
| Qty.       | 25 pc(s).                  |  |
| Type       | KP-M8/-150                 | Version                                      |
| Order No.  | <a href="#">1498290000</a> | cable lug, terminal end, 150 mm <sup>2</sup> |
| GTIN (EAN) | 4050118307399              |  |
| Qty.       | 25 pc(s).                  |  |
| Type       | KP-M20/-150                | Version                                      |
| Order No.  | <a href="#">1498340000</a> | cable lug, terminal end, 150 mm <sup>2</sup> |
| GTIN (EAN) | 4050118307740              |  |
| Qty.       | 25 pc(s).                  |  |
| Type       | KP-M14/-150                | Version                                      |
| Order No.  | <a href="#">1498580000</a> | cable lug, terminal end, 150 mm <sup>2</sup> |
| GTIN (EAN) | 4050118308112              |  |
| Qty.       | 25 pc(s).                  |  |

## ES EPG/HPG 60 HEX 120

Weidmüller Interface GmbH &amp; Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

10 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

|            |                            |  |
|------------|----------------------------|--|
| Type       | KP-M10/-150                | Version                                      |
| Order No.  | <a href="#">1498310000</a> | cable lug, terminal end, 150 mm <sup>2</sup> |
| GTIN (EAN) | 4050118307801              |  |
| Qty.       | 25 pc(s).                  |  |

185 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

|            |                            |  |
|------------|----------------------------|--|
| Type       | KP-M10/-185                | Version                                      |
| Order No.  | <a href="#">1498350000</a> | cable lug, terminal end, 185 mm <sup>2</sup> |
| GTIN (EAN) | 4050118307665              |  |
| Qty.       | 25 pc(s).                  |  |
| Type       | KP-M16/-185                | Version                                      |
| Order No.  | <a href="#">1498370000</a> | cable lug, terminal end, 185 mm <sup>2</sup> |
| GTIN (EAN) | 4050118307733              |  |
| Qty.       | 25 pc(s).                  |  |
| Type       | KP-M20/-185                | Version                                      |
| Order No.  | <a href="#">1498380000</a> | cable lug, terminal end, 185 mm <sup>2</sup> |
| GTIN (EAN) | 4050118307757              |  |
| Qty.       | 25 pc(s).                  |  |
| Type       | KP-M8/-185                 | Version                                      |
| Order No.  | <a href="#">1498540000</a> | cable lug, terminal end, 185 mm <sup>2</sup> |
| GTIN (EAN) | 4050118307894              |  |
| Qty.       | 25 pc(s).                  |  |

## ES EPG/HPG 60 HEX 120

**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold


Germany

[www.weidmueller.com](http://www.weidmueller.com)

## Accessories

|            |                            |  |
|------------|----------------------------|--|
| Type       | KP-M12/-185                | Version                                      |
| Order No.  | <a href="#">1498360000</a> | cable lug, terminal end, 185 mm <sup>2</sup> |
| GTIN (EAN) | 4050118307726              |  |
| Qty.       | 25 pc(s).                  |  |
| Type       | KP-M14/-185                | Version                                      |
| Order No.  | <a href="#">1498590000</a> | cable lug, terminal end, 185 mm <sup>2</sup> |
| GTIN (EAN) | 4050118307887              |  |
| Qty.       | 25 pc(s).                  |  |

## 120 mm<sup>2</sup>



**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

|            |                            |  |
|------------|----------------------------|--|
| Type       | KWN-M10/-120 90            | Version                                      |
| Order No.  | <a href="#">1494450000</a> | cable lug, terminal end, 120 mm <sup>2</sup> |
| GTIN (EAN) | 4050118304084              |  |
| Qty.       | 25 pc(s).                  |  |
| Type       | KWN-M16/-120 90            | Version                                      |
| Order No.  | <a href="#">1494480000</a> | cable lug, terminal end, 120 mm <sup>2</sup> |
| GTIN (EAN) | 4050118304312              |  |
| Qty.       | 25 pc(s).                  |  |
| Type       | KWN-M8/-120 90             | Version                                      |
| Order No.  | <a href="#">1494680000</a> | cable lug, terminal end, 120 mm <sup>2</sup> |
| GTIN (EAN) | 4050118304343              |  |
| Qty.       | 25 pc(s).                  |  |
| Type       | KWN-M12/-120 90            | Version                                      |
| Order No.  | <a href="#">1494470000</a> | cable lug, terminal end, 120 mm <sup>2</sup> |
| GTIN (EAN) | 4050118304091              |  |
| Qty.       | 25 pc(s).                  |  |

## ES EPG/HPG 60 HEX 120

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

150 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

|            |                            |  |
|------------|----------------------------|--|
| Type       | VPLN/-150                  | Version  |
| Order No.  | <a href="#">1492970000</a> | cable lug, terminal end, 150 mm <sup>2</sup> , 150 mm <sup>2</sup> |
| GTIN (EAN) | 4050118302912              |  |
| Qty.       | 50 pc(s).                  |  |

120 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

|            |                            |  |
|------------|----------------------------|--|
| Type       | KRN-M12/-120               | Version                                      |
| Order No.  | <a href="#">1495670000</a> | cable lug, terminal end, 120 mm <sup>2</sup> |
| GTIN (EAN) | 4050118305258              |  |
| Qty.       | 25 pc(s).                  |  |
| Type       | KRN-M8/-120                | Version                                      |
| Order No.  | <a href="#">1495790000</a> | cable lug, terminal end, 120 mm <sup>2</sup> |
| GTIN (EAN) | 4050118305401              |  |
| Qty.       | 25 pc(s).                  |  |
| Type       | KRN-M10/-120               | Version                                      |
| Order No.  | <a href="#">1495650000</a> | cable lug, terminal end, 120 mm <sup>2</sup> |
| GTIN (EAN) | 4050118305289              |  |
| Qty.       | 25 pc(s).                  |  |
| Type       | KRN-M16/-120               | Version                                      |
| Order No.  | <a href="#">1495680000</a> | cable lug, terminal end, 120 mm <sup>2</sup> |
| GTIN (EAN) | 4050118305272              |  |
| Qty.       | 25 pc(s).                  |  |

## ES EPG/HPG 60 HEX 120

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

|            |                            |  |
|------------|----------------------------|--|
| Type       | KRN-M14/-120               | Version                                      |
| Order No.  | <a href="#">1495800000</a> | cable lug, terminal end, 120 mm <sup>2</sup> |
| GTIN (EAN) | 4050118305616              |  |
| Qty.       | 25 pc(s).                  |  |
| Type       | KRN-M20/-120               | Version                                      |
| Order No.  | <a href="#">1495690000</a> | cable lug, terminal end, 120 mm <sup>2</sup> |
| GTIN (EAN) | 4050118305524              |  |
| Qty.       | 25 pc(s).                  |  |

120 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

|            |                            |  |
|------------|----------------------------|--|
| Type       | KP-M10/-120                | Version                                      |
| Order No.  | <a href="#">1498240000</a> | cable lug, terminal end, 120 mm <sup>2</sup> |
| GTIN (EAN) | 4050118307368              |  |
| Qty.       | 50 pc(s).                  |  |
| Type       | KP-M16/-120                | Version                                      |
| Order No.  | <a href="#">1498270000</a> | cable lug, terminal end, 120 mm <sup>2</sup> |
| GTIN (EAN) | 4050118307580              |  |
| Qty.       | 50 pc(s).                  |  |
| Type       | KP-M8/-120                 | Version                                      |
| Order No.  | <a href="#">1498480000</a> | cable lug, terminal end, 120 mm <sup>2</sup> |
| GTIN (EAN) | 4050118307900              |  |
| Qty.       | 50 pc(s).                  |  |
| Type       | KP-M20/-120                | Version                                      |
| Order No.  | <a href="#">1498280000</a> | cable lug, terminal end, 120 mm <sup>2</sup> |
| GTIN (EAN) | 4050118307702              |  |
| Qty.       | 50 pc(s).                  |  |
| Type       | KP-M14/-120                | Version                                      |
| Order No.  | <a href="#">1498490000</a> | cable lug, terminal end, 120 mm <sup>2</sup> |
| GTIN (EAN) | 4050118307771              |  |
| Qty.       | 50 pc(s).                  |  |
| Type       | KP-M12/-120                | Version                                      |
| Order No.  | <a href="#">1498250000</a> | cable lug, terminal end, 120 mm <sup>2</sup> |
| GTIN (EAN) | 4050118307627              |  |
| Qty.       | 50 pc(s).                  |  |

## ES EPG/HPG 60 HEX 120

Weidmüller Interface GmbH &amp; Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

185 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

|            |                            |  |
|------------|----------------------------|--|
| Type       | KWN-M12/-185 45            | Version                                      |
| Order No.  | <a href="#">1495350000</a> | cable lug, terminal end, 185 mm <sup>2</sup> |
| GTIN (EAN) | 4050118305012              |  |
| Qty.       | 20 pc(s).                  |  |
| Type       | KWN-M10/-185 45            | Version                                      |
| Order No.  | <a href="#">1495340000</a> | cable lug, terminal end, 185 mm <sup>2</sup> |
| GTIN (EAN) | 4050118304589              |  |
| Qty.       | 20 pc(s).                  |  |
| Type       | KWN-M16/-185 45            | Version                                      |
| Order No.  | <a href="#">1495370000</a> | cable lug, terminal end, 185 mm <sup>2</sup> |
| GTIN (EAN) | 4050118305074              |  |
| Qty.       | 20 pc(s).                  |  |
| Type       | KWN-M20/-185 45            | Version                                      |
| Order No.  | <a href="#">1495380000</a> | cable lug, terminal end, 185 mm <sup>2</sup> |
| GTIN (EAN) | 4050118305135              |  |
| Qty.       | 20 pc(s).                  |  |

120 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

|            |                            |  |
|------------|----------------------------|--|
| Type       | VPN/-120                   | Version  |
| Order No.  | <a href="#">1498690000</a> | cable lug, terminal end, 120 mm <sup>2</sup> , 120 mm <sup>2</sup> |
| GTIN (EAN) | 4050118307795              |  |
| Qty.       | 25 pc(s).                  |  |



## ES EPG/HPG 60 HEX 120

Weidmüller Interface GmbH &amp; Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

120 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

|            |                            |  |
|------------|----------------------------|--|
| Type       | KRN-M10/-120 S             | Version                                      |
| Order No.  | <a href="#">1494920000</a> | cable lug, terminal end, 120 mm <sup>2</sup> |
| GTIN (EAN) | 4050118304626              |  |
| Qty.       | 10 pc(s).                  |  |
| Type       | KRN-M6/-120 S              | Version                                      |
| Order No.  | <a href="#">1494410000</a> | cable lug, terminal end, 120 mm <sup>2</sup> |
| GTIN (EAN) | 4050118304060              |  |
| Qty.       | 10 pc(s).                  |  |
| Type       | KRN-M12/-120 S             | Version                                      |
| Order No.  | <a href="#">1494930000</a> | cable lug, terminal end, 120 mm <sup>2</sup> |
| GTIN (EAN) | 4050118304602              |  |
| Qty.       | 10 pc(s).                  |  |
| Type       | KRN-M8/-120 S              | Version                                      |
| Order No.  | <a href="#">1494420000</a> | cable lug, terminal end, 120 mm <sup>2</sup> |
| GTIN (EAN) | 4050118304077              |  |
| Qty.       | 10 pc(s).                  |  |

240 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

|            |                            |  |
|------------|----------------------------|--|
| Type       | KRN-M14/-240               | Version                                      |
| Order No.  | <a href="#">1497270000</a> | cable lug, terminal end, 240 mm <sup>2</sup> |
| GTIN (EAN) | 4050118306842              |  |
| Qty.       | 25 pc(s).                  |  |

## ES EPG/HPG 60 HEX 120

**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)

## Accessories

|            |                            |  |
|------------|----------------------------|--|
| Type       | KRN-M10/-240               | Version                                      |
| Order No.  | <a href="#">1495490000</a> | cable lug, terminal end, 240 mm <sup>2</sup> |
| GTIN (EAN) | 4050118305050              |  |
| Qty.       | 25 pc(s).                  |  |
| Type       | KRN-M8/-240                | Version                                      |
| Order No.  | <a href="#">1495480000</a> | cable lug, terminal end, 240 mm <sup>2</sup> |
| GTIN (EAN) | 4050118304756              |  |
| Qty.       | 25 pc(s).                  |  |
| Type       | KRN-M16/-240               | Version                                      |
| Order No.  | <a href="#">1495510000</a> | cable lug, terminal end, 240 mm <sup>2</sup> |
| GTIN (EAN) | 4050118304770              |  |
| Qty.       | 25 pc(s).                  |  |
| Type       | KRN-M12/-240               | Version                                      |
| Order No.  | <a href="#">1495500000</a> | cable lug, terminal end, 240 mm <sup>2</sup> |
| GTIN (EAN) | 4050118305142              |  |
| Qty.       | 25 pc(s).                  |  |
| Type       | KRN-M20/-240               | Version                                      |
| Order No.  | <a href="#">1495520000</a> | cable lug, terminal end, 240 mm <sup>2</sup> |
| GTIN (EAN) | 4050118305104              |  |
| Qty.       | 25 pc(s).                  |  |

## 240 mm<sup>2</sup>



**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

|            |                            |  |
|------------|----------------------------|--|
| Type       | KP-M14/-240                | Version                                      |
| Order No.  | <a href="#">1498530000</a> | cable lug, terminal end, 240 mm <sup>2</sup> |
| GTIN (EAN) | 4050118307689              |  |
| Qty.       | 20 pc(s).                  |  |
| Type       | KP-M10/-240                | Version                                      |
| Order No.  | <a href="#">1498390000</a> | cable lug, terminal end, 240 mm <sup>2</sup> |
| GTIN (EAN) | 4050118307818              |  |
| Qty.       | 20 pc(s).                  |  |
| Type       | KP-M12/-240                | Version                                      |
| Order No.  | <a href="#">1498410000</a> | cable lug, terminal end, 240 mm <sup>2</sup> |
| GTIN (EAN) | 4050118307672              |  |
| Qty.       | 20 pc(s).                  |  |
| Type       | KP-M16/-240                | Version                                      |
| Order No.  | <a href="#">1498420000</a> | cable lug, terminal end, 240 mm <sup>2</sup> |
| GTIN (EAN) | 4050118307825              |  |
| Qty.       | 20 pc(s).                  |  |

Creation date April 28, 2024 7:29:56 AM CEST

## ES EPG/HPG 60 HEX 120

**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)

## Accessories

|            |                            |  |
|------------|----------------------------|--|
| Type       | KP-M20/-240                | Version                                      |
| Order No.  | <a href="#">1498430000</a> | cable lug, terminal end, 240 mm <sup>2</sup> |
| GTIN (EAN) | 4050118307832              |  |
| Qty.       | 20 pc(s).                  |  |

## Tools



### Crimping tools for cable lugs, connectors and wire-end ferrules with interchangeable inserts

- extremely fast processing thanks to hydraulic support
- large processing range up to 400 mm<sup>2</sup>
- 360° revolving quick action crimping head
- automatic pressure limitation and monitoring via pressure sensor
- Additional features for APG series:
- electronic control and monitoring of the crimping process
- Saving of all crimping cycles and error messages to internal memory
- Reading of all cycles and error messages via USB

### General ordering data

|            |                            |  |
|------------|----------------------------|--|
| Type       | HPG 60                     | Version  |
| Order No.  | <a href="#">2453820000</a> | 6mm <sup>2</sup> , 300mm <sup>2</sup> , Hexagonal crimp, WM crimp, Indent crimp, |
| GTIN (EAN) | 4050118468427              | Trapezoidal crimp, Oval crimping   |
| Qty.       | 1 pc(s).                   |  |

## 120 mm<sup>2</sup>



### The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

### General ordering data

|            |                            |  |
|------------|----------------------------|--|
| Type       | KWN-M8/-120 45             | Version                                      |
| Order No.  | <a href="#">1496390000</a> | cable lug, terminal end, 120 mm <sup>2</sup> |
| GTIN (EAN) | 4050118305999              |  |
| Qty.       | 25 pc(s).                  |  |
| Type       | KWN-M16/-120 45            | Version                                      |
| Order No.  | <a href="#">1496420000</a> | cable lug, terminal end, 120 mm <sup>2</sup> |
| GTIN (EAN) | 4050118306118              |  |
| Qty.       | 25 pc(s).                  |  |
| Type       | KWN-M10/-120 45            | Version                                      |
| Order No.  | <a href="#">1496400000</a> | cable lug, terminal end, 120 mm <sup>2</sup> |
| GTIN (EAN) | 4050118306224              |  |
| Qty.       | 25 pc(s).                  |  |

Creation date April 28, 2024 7:29:56 AM CEST

## ES EPG/HPG 60 HEX 120

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

|            |                            |  |
|------------|----------------------------|--|
| Type       | KWN-M12/-120 45            | Version                                      |
| Order No.  | <a href="#">1496410000</a> | cable lug, terminal end, 120 mm <sup>2</sup> |
| GTIN (EAN) | 4050118306057              |  |
| Qty.       | 25 pc(s).                  |  |

185 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

|            |                            |  |
|------------|----------------------------|--|
| Type       | VSTN/-185                  | Version  |
| Order No.  | <a href="#">1497390000</a> | cable lug, terminal end, 185 mm <sup>2</sup> , 185 mm <sup>2</sup> |
| GTIN (EAN) | 4050118306798              |  |
| Qty.       | 25 pc(s).                  |  |

240 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

|            |                            |  |
|------------|----------------------------|--|
| Type       | VSTN/-240                  | Version  |
| Order No.  | <a href="#">1497400000</a> | cable lug, terminal end, 240 mm <sup>2</sup> , 240 mm <sup>2</sup> |
| GTIN (EAN) | 4050118306965              |  |
| Qty.       | 25 pc(s).                  |  |

## ES EPG/HPG 60 HEX 120

Weidmüller Interface GmbH &amp; Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

185 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

|            |                            |  |
|------------|----------------------------|--|
| Type       | KRN-M8/-185                | Version                                      |
| Order No.  | <a href="#">1497290000</a> | cable lug, terminal end, 185 mm <sup>2</sup> |
| GTIN (EAN) | 4050118306897              |  |
| Qty.       | 25 pc(s).                  |  |
| Type       | KRN-M10/-185               | Version                                      |
| Order No.  | <a href="#">1495430000</a> | cable lug, terminal end, 185 mm <sup>2</sup> |
| GTIN (EAN) | 4050118304985              |  |
| Qty.       | 25 pc(s).                  |  |
| Type       | KRN-M14/-185               | Version                                      |
| Order No.  | <a href="#">1497250000</a> | cable lug, terminal end, 185 mm <sup>2</sup> |
| GTIN (EAN) | 4050118306880              |  |
| Qty.       | 25 pc(s).                  |  |
| Type       | KRN-M12/-185               | Version                                      |
| Order No.  | <a href="#">1495440000</a> | cable lug, terminal end, 185 mm <sup>2</sup> |
| GTIN (EAN) | 4050118304947              |  |
| Qty.       | 25 pc(s).                  |  |
| Type       | KRN-M20/-185               | Version                                      |
| Order No.  | <a href="#">1495470000</a> | cable lug, terminal end, 185 mm <sup>2</sup> |
| GTIN (EAN) | 4050118305005              |  |
| Qty.       | 25 pc(s).                  |  |
| Type       | KRN-M16/-185               | Version                                      |
| Order No.  | <a href="#">1495450000</a> | cable lug, terminal end, 185 mm <sup>2</sup> |
| GTIN (EAN) | 4050118305036              |  |
| Qty.       | 25 pc(s).                  |  |

## ES EPG/HPG 60 HEX 120

Weidmüller Interface GmbH &amp; Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

120 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

|            |                            |  |
|------------|----------------------------|--|
| Type       | VPLN/-120                  | Version  |
| Order No.  | <a href="#">1492960000</a> | cable lug, terminal end, 120 mm <sup>2</sup> , 120 mm <sup>2</sup> |
| GTIN (EAN) | 4050118302936              |  |
| Qty.       | 50 pc(s).                  |  |

185 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

|            |                            |  |
|------------|----------------------------|--|
| Type       | KWN-M12/-185 90            | Version                                      |
| Order No.  | <a href="#">1494550000</a> | cable lug, terminal end, 185 mm <sup>2</sup> |
| GTIN (EAN) | 4050118304213              |  |
| Qty.       | 25 pc(s).                  |  |
| Type       | KWN-M20/-185 90            | Version                                      |
| Order No.  | <a href="#">1494580000</a> | cable lug, terminal end, 185 mm <sup>2</sup> |
| GTIN (EAN) | 4050118304336              |  |
| Qty.       | 25 pc(s).                  |  |
| Type       | KWN-M16/-185 90            | Version                                      |
| Order No.  | <a href="#">1494570000</a> | cable lug, terminal end, 185 mm <sup>2</sup> |
| GTIN (EAN) | 4050118304329              |  |
| Qty.       | 25 pc(s).                  |  |
| Type       | KWN-M10/-185 90            | Version                                      |
| Order No.  | <a href="#">1494540000</a> | cable lug, terminal end, 185 mm <sup>2</sup> |
| GTIN (EAN) | 4050118304176              |  |
| Qty.       | 25 pc(s).                  |  |

## ES EPG/HPG 60 HEX 120

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

240 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

|            |                            |  |
|------------|----------------------------|--|
| Type       | KWN-M12/-240 45            | Version                                      |
| Order No.  | <a href="#">1495400000</a> | cable lug, terminal end, 240 mm <sup>2</sup> |
| GTIN (EAN) | 4050118305227              |  |
| Qty.       | 15 pc(s).                  |  |
| Type       | KWN-M16/-240 45            | Version                                      |
| Order No.  | <a href="#">1495410000</a> | cable lug, terminal end, 240 mm <sup>2</sup> |
| GTIN (EAN) | 4050118305203              |  |
| Qty.       | 15 pc(s).                  |  |
| Type       | KWN-M20/-240 45            | Version                                      |
| Order No.  | <a href="#">1495420000</a> | cable lug, terminal end, 240 mm <sup>2</sup> |
| GTIN (EAN) | 4050118305234              |  |
| Qty.       | 15 pc(s).                  |  |

240 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

|            |                            |  |
|------------|----------------------------|--|
| Type       | KRN-M12/-240 S             | Version                                      |
| Order No.  | <a href="#">1494350000</a> | cable lug, terminal end, 240 mm <sup>2</sup> |
| GTIN (EAN) | 4050118303933              |  |
| Qty.       | 5 pc(s).                   |  |
| Type       | KRN-M16/-240 S             | Version                                      |
| Order No.  | <a href="#">1494370000</a> | cable lug, terminal end, 240 mm <sup>2</sup> |
| GTIN (EAN) | 4050118304046              |  |
| Qty.       | 5 pc(s).                   |  |

## ES EPG/HPG 60 HEX 120

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

|            |                            |  |
|------------|----------------------------|--|
| Type       | KRN-M10/-240 S             | Version                                      |
| Order No.  | <a href="#">1494340000</a> | cable lug, terminal end, 240 mm <sup>2</sup> |
| GTIN (EAN) | 4050118304039              |  |
| Qty.       | 5 pc(s).                   |  |

185 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

|            |                            |  |
|------------|----------------------------|--|
| Type       | KWPN-M16/-185 90           | Version                                      |
| Order No.  | <a href="#">1496710000</a> | cable lug, terminal end, 185 mm <sup>2</sup> |
| GTIN (EAN) | 4050118306262              |  |
| Qty.       | 25 pc(s).                  |  |
| Type       | KWPN-M12/-185 90           | Version                                      |
| Order No.  | <a href="#">1496700000</a> | cable lug, terminal end, 185 mm <sup>2</sup> |
| GTIN (EAN) | 4050118306323              |  |
| Qty.       | 25 pc(s).                  |  |
| Type       | KWPN-M20/-185 90           | Version                                      |
| Order No.  | <a href="#">1496720000</a> | cable lug, terminal end, 185 mm <sup>2</sup> |
| GTIN (EAN) | 4050118306187              |  |
| Qty.       | 25 pc(s).                  |  |
| Type       | KWPN-M10/-185 90           | Version                                      |
| Order No.  | <a href="#">1496690000</a> | cable lug, terminal end, 185 mm <sup>2</sup> |
| GTIN (EAN) | 4050118306170              |  |
| Qty.       | 25 pc(s).                  |  |
| Type       | KWPN-M8/-185 90            | Version                                      |
| Order No.  | <a href="#">1496800000</a> | cable lug, terminal end, 185 mm <sup>2</sup> |
| GTIN (EAN) | 4050118306316              |  |
| Qty.       | 25 pc(s).                  |  |



## ES EPG/HPG 60 HEX 120

Weidmüller Interface GmbH &amp; Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

150 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

|            |                            |  |
|------------|----------------------------|--|
| Type       | VSTN/150                   | Version  |
| Order No.  | <a href="#">1493120000</a> | cable lug, terminal end, 150 mm <sup>2</sup> , 150 mm <sup>2</sup> |
| GTIN (EAN) | 4050118302905              |  |
| Qty.       | 50 pc(s).                  |  |

300 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

|            |                            |  |
|------------|----------------------------|--|
| Type       | KP-M10/-300                | Version                                      |
| Order No.  | <a href="#">1498440000</a> | cable lug, terminal end, 300 mm <sup>2</sup> |
| GTIN (EAN) | 4050118307764              |  |
| Qty.       | 10 pc(s).                  |  |
| Type       | KP-M14/-300                | Version                                      |
| Order No.  | <a href="#">1498550000</a> | cable lug, terminal end, 300 mm <sup>2</sup> |
| GTIN (EAN) | 4050118307924              |  |
| Qty.       | 10 pc(s).                  |  |
| Type       | KP-M12/-300                | Version                                      |
| Order No.  | <a href="#">1498450000</a> | cable lug, terminal end, 300 mm <sup>2</sup> |
| GTIN (EAN) | 4050118307788              |  |
| Qty.       | 10 pc(s).                  |  |
| Type       | KP-M16/-300                | Version                                      |
| Order No.  | <a href="#">1498460000</a> | cable lug, terminal end, 300 mm <sup>2</sup> |
| GTIN (EAN) | 4050118307870              |  |
| Qty.       | 10 pc(s).                  |  |

## ES EPG/HPG 60 HEX 120

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

|            |                            |  |
|------------|----------------------------|--|
| Type       | KP-M20/-300                | Version                                      |
| Order No.  | <a href="#">1498470000</a> | cable lug, terminal end, 300 mm <sup>2</sup> |
| GTIN (EAN) | 4050118307849              |  |
| Qty.       | 10 pc(s).                  |  |

120 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

|            |                            |  |
|------------|----------------------------|--|
| Type       | KWPN-M12/-120 90           | Version                                      |
| Order No.  | <a href="#">1497760000</a> | cable lug, terminal end, 120 mm <sup>2</sup> |
| GTIN (EAN) | 4050118307184              |  |
| Qty.       | 25 pc(s).                  |  |
| Type       | KWPN-M16/120 90            | Version                                      |
| Order No.  | <a href="#">1497770000</a> | cable lug, terminal end, 120 mm <sup>2</sup> |
| GTIN (EAN) | 4050118307030              |  |
| Qty.       | 25 pc(s).                  |  |
| Type       | KWPN-M20/-120 90           | Version                                      |
| Order No.  | <a href="#">1497780000</a> | cable lug, terminal end, 120 mm <sup>2</sup> |
| GTIN (EAN) | 4050118307191              |  |
| Qty.       | 25 pc(s).                  |  |
| Type       | KWPN-M10/-120 90           | Version                                      |
| Order No.  | <a href="#">1497750000</a> | cable lug, terminal end, 120 mm <sup>2</sup> |
| GTIN (EAN) | 4050118307061              |  |
| Qty.       | 25 pc(s).                  |  |


## ES EPG/HPG 60 HEX 120

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

[www.weidmueller.com](http://www.weidmueller.com)

## Accessories

### 185 mm<sup>2</sup>



**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

### General ordering data

|            |                            |  |
|------------|----------------------------|--|
| Type       | VPN/-185                   | Version  |
| Order No.  | <a href="#">1498720000</a> | cable lug, terminal end, 185 mm <sup>2</sup> , 185 mm <sup>2</sup> |
| GTIN (EAN) | 4050118308051              |  |
| Qty.       | 25 pc(s).                  |  |

### Tools



**Crimping tools for cable lugs, connectors and wire-end ferrules with interchangeable inserts**

- extremely fast processing thanks to hydraulic support
- large processing range up to 300 mm<sup>2</sup>
- 270° revolving quick-action crimping head
- automatic pressure limitation and monitoring via pressure sensor
- electronic control and monitoring of the crimping process
- Saving of all crimping cycles and error messages to internal memory
- Reading of all cycles and error messages via USB
- Li-ion rechargeable battery with charge status indicator: 18 V, 1.5 Ah

### General ordering data

|            |                            |  |
|------------|----------------------------|--|
| Type       | EPG 60                     | Version  |
| Order No.  | <a href="#">2453810000</a> | Pressing tools, Tools, Pressing tool, 6mm <sup>2</sup> , 300mm <sup>2</sup> , Hexagonal crimp, |
| GTIN (EAN) | 4050118468434              | WM crimp, Indent crimp, Trapezoidal crimp, Oval crimping                                       |
| Qty.       | 1 pc(s).                   |  |