


TC INL THIRD 4**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Inspired by 5S and lean management methods, Weidmüller foam inserts ensure an efficient and tidy workplace. Designed according to a modular principle, they offer many advantages and can be selected according to individual requirements.

General ordering data

Order No.	2683800000
Type	TC INL THIRD 4
GTIN (EAN)	4050118701920
Qty.	1 pc(s).

TC INL THIRD 4

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Technical data

Dimensions and weights

Depth	447 mm	Depth (inches)	17.598 inch
Height	50 mm	Height (inches)	1.969 inch
Width	200 mm	Width (inches)	7.874 inch
Net weight	1,002.2 g		

Technical data

Description of article	Foam inlay screwdrivers
------------------------	-------------------------

Tool chest

Assembly	with tools
----------	------------

Classifications

ETIM 6.0	EC011819	ETIM 7.0	EC011819
ETIM 8.0	EC011819	ETIM 9.0	EC011819
ECLASS 9.1	21-07-92-03	ECLASS 10.0	21-07-92-03
ECLASS 11.0	21-07-04-12	ECLASS 12.0	21-07-04-12
ECLASS 13.0	21-07-04-12		

Environmental Product Compliance

REACH SVHC	Lead 7439-92-1
------------	----------------

Downloads

Catalogues	Catalogues in PDF-format
------------	--

TC INL THIRD 4

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

... Phillips crosshead



If you demand effective and exact work, it is essential to use the precise torque. This also guarantees high repetition accuracy.

This is the perfect job for the new Weidmüller torque screwdriver with the ergonomic grip and the unique interchangeable bit system.

- Compact and especially light design
- Torque set with special tool (supplied); an unintended, incorrect setting is ruled out.
- Ergonomic handle sizes matched to the torque range.
- Tools subjected to routine testing and provided with an ID number; 100% quality control with verification and product reference.
- Clicking sound upon reaching the set torque, clearly audible and noticeable, no unnecessary tightening.
- Interchangeable blades made from high-quality wear-resistant tool steel.
- All tools fulfil the accuracy requirements of: EN ISO 6798, BS EN 26789, ASME B107.14M
- Trigger accuracy +/- 6% of the set scale value.

General ordering data

Type	WB IK SL PH2	Version
Order No.	2433220000	Screwdriver insert
GTIN (EAN)	4050118443691	
Qty.	1 pc(s).	
Type	WB IK SL PH1	Version
Order No.	2433210000	Screwdriver insert
GTIN (EAN)	4050118443653	
Qty.	1 pc(s).	

TC INL THIRD 4

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

... hexagonal / Allen key



If you demand effective and exact work, it is essential to use the precise torque. This also guarantees high repetition accuracy.

This is the perfect job for the new Weidmüller torque screwdriver with the ergonomic grip and the unique interchangeable bit system.

- Compact and especially light design
- Torque set with special tool (supplied); an unintended, incorrect setting is ruled out.
- Ergonomic handle sizes matched to the torque range.
- Tools subjected to routine testing and provided with an ID number; 100% quality control with verification and product reference.
- Clicking sound upon reaching the set torque, clearly audible and noticeable, no unnecessary tightening.
- Interchangeable blades made from high-quality wear-resistant tool steel.
- All tools fulfil the accuracy requirements of: EN ISO 6798, BS EN 26789, ASME B107.14M
- Trigger accuracy +/- 6% of the set scale value.

General ordering data

Type	WB I SK 2.5	Version	Packaging
Order No.	2506050000	Screwdriver insert	miscellaneous
GTIN (EAN)	4050118520583		
Qty.	1 pc(s).		
Type	WB I SK 3	Version	Packaging
Order No.	2506060000	Screwdriver insert	miscellaneous
GTIN (EAN)	4050118520552		
Qty.	1 pc(s).		
Type	WB I SK 4	Version	Packaging
Order No.	2506070000	Screwdriver insert	miscellaneous
GTIN (EAN)	4050118520521		
Qty.	1 pc(s).		
Type	WB I SK 5	Version	Packaging
Order No.	2506080000	Screwdriver insert	miscellaneous
GTIN (EAN)	4050118520514		
Qty.	1 pc(s).		

TC INL THIRD 4

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

... Pozidriv crosshead



If you demand effective and exact work, it is essential to use the precise torque. This also guarantees high repetition accuracy.

This is the perfect job for the new Weidmüller torque screwdriver with the ergonomic grip and the unique interchangeable bit system.

- Compact and especially light design
- Torque set with special tool (supplied); an unintended, incorrect setting is ruled out.
- Ergonomic handle sizes matched to the torque range.
- Tools subjected to routine testing and provided with an ID number; 100% quality control with verification and product reference.
- Clicking sound upon reaching the set torque, clearly audible and noticeable, no unnecessary tightening.
- Interchangeable blades made from high-quality wear-resistant tool steel.
- All tools fulfil the accuracy requirements of: EN ISO 6798, BS EN 26789, ASME B107.14M
- Trigger accuracy +/- 6% of the set scale value.

General ordering data

Type	WB IK SL PZ1	Version
Order No.	2433230000	Screwdriver insert
GTIN (EAN)	4050118443806	
Qty.	1 pc(s).	
Type	WB IK SL PZ2	Version
Order No.	2433240000	Screwdriver insert
GTIN (EAN)	4050118443684	
Qty.	1 pc(s).	

TC INL THIRD 4

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

... Torx



If you demand effective and exact work, it is essential to use the precise torque. This also guarantees high repetition accuracy.

This is the perfect job for the new Weidmüller torque screwdriver with the ergonomic grip and the unique interchangeable bit system.

- Compact and especially light design
- Torque set with special tool (supplied); an unintended, incorrect setting is ruled out.
- Ergonomic handle sizes matched to the torque range.
- Tools subjected to routine testing and provided with an ID number; 100% quality control with verification and product reference.
- Clicking sound upon reaching the set torque, clearly audible and noticeable, no unnecessary tightening.
- Interchangeable blades made from high-quality wear-resistant tool steel.
- All tools fulfil the accuracy requirements of: EN ISO 6798, BS EN 26789, ASME B107.14M
- Trigger accuracy +/- 6% of the set scale value.

General ordering data

Type	WB IT10	Version
Order No.	2506000000	Screwdriver insert
GTIN (EAN)	4050118520590	
Qty.	1 pc(s).	
Type	WB IT15	Version
Order No.	2506010000	Screwdriver insert
GTIN (EAN)	4050118520545	
Qty.	1 pc(s).	
Type	WB IT20	Version
Order No.	2506020000	Screwdriver insert
GTIN (EAN)	4050118520569	
Qty.	1 pc(s).	

TC INL THIRD 4

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

... slotted-head screws



If you demand effective and exact work, it is essential to use the precise torque. This also guarantees high repetition accuracy.

This is the perfect job for the new Weidmüller torque screwdriver with the ergonomic grip and the unique interchangeable bit system.

- Compact and especially light design
- Torque set with special tool (supplied); an unintended, incorrect setting is ruled out.
- Ergonomic handle sizes matched to the torque range.
- Tools subjected to routine testing and provided with an ID number; 100% quality control with verification and product reference.
- Clicking sound upon reaching the set torque, clearly audible and noticeable, no unnecessary tightening.
- Interchangeable blades made from high-quality wear-resistant tool steel.
- All tools fulfil the accuracy requirements of: EN ISO 6798, BS EN 26789, ASME B107.14M
- Trigger accuracy +/- 6% of the set scale value.

General ordering data

Type	WB SI SL 0.4X2.5	Version
Order No.	2433160000	Screwdriver insert
GTIN (EAN)	4050118443639	
Qty.	1 pc(s).	
Type	WB SI SL 0.8X4,0	Version
Order No.	2433190000	Screwdriver insert
GTIN (EAN)	4050118443646	
Qty.	1 pc(s).	
Type	WB SI SL 1,0X5,5	Version
Order No.	2433200000	Screwdriver insert
GTIN (EAN)	4050118443660	
Qty.	1 pc(s).	
Type	WB SI SL 0.5X3.0	Version
Order No.	2433170000	Screwdriver insert
GTIN (EAN)	4050118443622	
Qty.	1 pc(s).	
Type	WB SI SL 0.6X3.5	Version
Order No.	2433180000	Screwdriver insert
GTIN (EAN)	4050118443677	
Qty.	1 pc(s).	

TC INL THIRD 4

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

... Robertson



If you demand effective and exact work, it is essential to use the precise torque. This also guarantees high repetition accuracy.

This is the perfect job for the new Weidmüller torque screwdriver with the ergonomic grip and the unique interchangeable bit system.

- Compact and especially light design
- Torque set with special tool (supplied); an unintended, incorrect setting is ruled out.
- Ergonomic handle sizes matched to the torque range.
- Tools subjected to routine testing and provided with an ID number; 100% quality control with verification and product reference.
- Clicking sound upon reaching the set torque, clearly audible and noticeable, no unnecessary tightening.
- Interchangeable blades made from high-quality wear-resistant tool steel.
- All tools fulfil the accuracy requirements of: EN ISO 6798, BS EN 26789, ASME B107.14M
- Trigger accuracy +/- 6% of the set scale value.

General ordering data

Type	WB I VK 1	Version	Packaging
Order No.	2506030000	Screwdriver insert	miscellaneous
GTIN (EAN)	4050118520538		
Qty.	1 pc(s).		
Type	WB I VK 2	Version	Packaging
Order No.	2506040000	Screwdriver insert	miscellaneous
GTIN (EAN)	4050118520576		
Qty.	1 pc(s).		

TC INL THIRD 4

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

Torque screwdriver



If you demand effective and exact work, it is essential to use the precise torque. This also guarantees high repetition accuracy.

This is the perfect job for the new Weidmüller torque screwdriver with the ergonomic grip and the unique interchangeable bit system.

- Compact and especially light design
- Torque set with special tool (supplied); an unintended, incorrect setting is ruled out.
- Ergonomic handle sizes matched to the torque range.
- Tools subjected to routine testing and provided with an ID number; 100% quality control with verification and product reference.
- Clicking sound upon reaching the set torque, clearly audible and noticeable, no unnecessary tightening.
- Interchangeable blades made from high-quality wear-resistant tool steel.
- All tools fulfil the accuracy requirements of: EN ISO 6798, BS EN 26789, ASME B107.14M
- Trigger accuracy +/- 6% of the set scale value.

General ordering data

Type	DMSI MANUELL 0,5-1,7	Version
Order No.	9918390000	Torque screwdriver
GTIN (EAN)	4032248388356	
Qty.	1 pc(s).	

Screwdriver Sets



VDE insulated screwdriver sets, for working on live parts up to 1000 V AC and 1500 V DC, DIN EN 60900. IEC 900. Each piece is "GS" safety tested. Blade made from fully hardened, high-alloy chromium-vanadium-molybdenum steel, gun-metal finish.

General ordering data

Type	SDI SET SLIM S3.5-6.5/P ...	Version
Order No.	2749580000	Mounting tool
GTIN (EAN)	4050118896329	
Qty.	1 pc(s).	